

INDEX TO VOLUME LXXIII*

The Index for Volume 73 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

- Aberdeen, J. E. C. Introduction to the mushrooms, toadstools and larger fungi of Queensland; review 795
- Aflatoxin and mold flora in North Carolina in 1977 corn crop 216
- Agaricostilbum: an auricularioid Basidiomycete 880
- Agerer, R. Contribution to neotropical cyphellaceous fungi—III. The new genus *Cyphellocalathus* 486
- Ahearn, D. G., and R. L. Schlitzer. A pyrimidine sporulation medium for *Filobasidiella* 343
- Alcorn, S. M. See Dong et al. 321
- . See Young and Alcorn 822
- Alexopoulos, Constantine J., and Charles W. Mims. Introductory mycology, third edition; review 581
- Algae
- Cephaleuros* 351; *Ocellularia* 1002; *Stomatochroon* 351
- Amon, James P., and Roger D. Arthur. Nutritional studies of a marine *Phlyctocytrium* sp. 1049
- Anagnostakis, Sandra L. A stable heterokaryon of *Endothia parasitica* 570
- Animals
- Aedes* 725; *Allocapnia* 484; *Antennopsis* 360; *Aphelenchoides* 141-149; *Aphelenchus* 141; *Canis* 1081; *Chironomus* 1143; *Choristoneura* 887; *Deleadenus* 142; *Diffugia* 911; *Duvalius* 558; *Entamoeba* 787; *Labyrinthomyxa* 787; *Lambdina* 887; *Macrotermes* 358; *Meloidogyne* 715, 870; *Naegleria* 787; *Orotrechus* 554, 555, 558; *Pentaneura* 1143; *Plasmodium* 787; *Pratylenchus* 870; *Tendipes* 1143; *Tenuirostitermes* 358; *Termitaria* 360; *Xyleborus* 202
- Annellated conidiogenous cells in *Exophiala dermatitidis*, agent of phaeo-hyphomycosis 1181
- Annual review of phytopathology, vol. 18; review 800
- Apothecial ontogeny 301
- Armentrout, Vivienne N. [Review of] The eukaryotic microbial cell 3711
- Arthur, Roger D. See Amon and Arthur 1049
- Ascomycarp development in *Mamianiella coryli* var *spiralis* 429
- Ascomycarp morphology and terminal hair ornamentation in thermophilic *Chaetomium* species 755
- Athelia epiphylla associated with colonization of subalpine fir foliage under psychrophilic conditions 1195
- Bahareen, Siavash and Helen S. Vishniac. Budding morphology of a psychrophilic *Cryptococcus* and related species compared with *Leucosporidium scottii* 618
- Balladynopsis, *Balladynocallia* and *Alina*: review 1023

*Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909-1966). xvi + 1108 pages Price: \$20.00. Available from: The New York Botanical Garden, Bronx, N.Y. 10458.

- Bandoni, R. See Wright et al. 880
- Baroni, Timothy J. Collections in the Farlow Herbarium: new species of *Melanophyllum* and *Gastrocybe*, type studies on *Armillaria* and *Stropharia* 181
- Barr, Claus. See Olson et al. 559
- Barr, Margaret E. *Teichosporella dura* 988
- . The genus *Curreya*: an example of taxonomic confusion in the Ascomycetes 599
- Bartels, R., and W. Koch. Wegbereitende deutsche Phytopathologen; review 1025
- Berthier, Jacques, and Clark T. Rogerson. New North American species: *Physalacia cryptomeriae* 643
- Bibliography of North American Gasteromycetes: I. Phallales; review 794
- Bigelow, Howard E. Spore ornamentation in the *Tricholomataceae* I. 128
- Biosynthesis of mycotoxins, a study in secondary metabolism; review 792
- Bird, C. J., and D. W. Grund. Nova Scotian species of *Hygrophorus*; review 369
- Bisús, G. N. Chemotropic interactions between trichogynes and conidia of opposite mating-type in *Neurospora crassa* 959
- Blackwell, Meredith, and R. L. Gilbertson. *Cordycepiodeus octosporus*, a termite suspected pathogen from Jalisco, Mexico 358
- Blastospora betulae* (Uredinales) from Japan 577
- Bloss, H. E. See Dong et al. 321
- Bonnell, Beverly S., and Estelle Levetin. The influence of nutrition on the growth and sporulation of two strains of *Epicoccum nigrum* 238
- Bragg, Jimmy D. Inhibitory effects of light on ascospore germination of *Pseudoarachniotus marginosporus* 681
- Brief historical survey of fungal taxonomy and floristics in China 1098
- Bryophytes
Aongstroemia 265; *Dicranella* 265; *Bryum* 265
- Budding morphology of a psychrophilic *Cryptococcus* and related species compared with *Leucosporidium scottii* 618
- . The taxonomy of *Sporotrichum pruinosum* and *Sporotrichum pulverulentum*/*Phanerochaete chrysosporium* 675
- , and K. K. Nakasone. New or little known lignicolous *Aphylophorales* (Basidiomycotina) from southeastern United States I 454
- Burk, William R. A bibliography of North American Gasteromycetes: I. Phallales; review 794
- Canfield, E. R. The wood-decay capability of *Albatrellus dispansus* 399
- Cappellini, Raymond A. See Huang and Cappellini 105
- Carboxymethyl cellulase activity in the myxomycete *Physarum polycephalum* 1085
- Carmichael, J. W. [Review of] A revision of *Chrysosporium* and allied genera 1013
- , W. Bryce Kendrick, L. L. Connors, and Lynne Sigler. Genera of *Hyphomycetes*; review 1011
- Chacko, Rosy J., and Jack D. Rogers. Cultural characteristics of some species of *Xylaria* 415
- Chattopadhyay, N. C., and B. Nandi. Nutrition in *Fusarium moniliforme* var. *subglutinans* causing mango malformation 407
- Chemotropic interactions between trichogynes and conidia of opposite mating-type in *Neurospora crassa* 959
- Christensen, Martha. A synoptic key and evaluation of species in the *Aspergillus flavus* group 1056
- Chrzanowski, Thomas H. See Stevenson et al. 274
- CIPC-induced and spontaneously produced diploid myxamoebae in a myxomycete, *Didymium iridis*: a study of mating-type heterozygotes 62
- Clarkeinda trachodes—an agaric new to India 204
- Clathraceae; review 1025
- Cline, G. R. See Szanislo et al. 1158
- Coelomycetes; review 1014
- Coelomycetes, VII. *Stegonsporium*; review 1023
- Coelomycetes of India; review 371
- Collections in the Farlow Herbarium: new species of *Melanophyllum* and

- Gastrocybe, type studies on *Armillaria* and *Stropharia* 181
- Collins, O'Neil Ray. See Mulleavy and Collins 62
- Comparative physiology of two isolates of *Entomophthora egressa* 887
- Coniochaeta extramundana*, with a synopsis of other *Coniochaeta* species 931
- Coniothyrium* sp. causing leaf blight of jojoba 822
- Contribución al estudio de los Aphyllophorales españoles; review 1017
- Contribution to neotropical cyphellaceous fungi—III. The new genus *Cyphellocalathus* 486
- Conway, K. E. See Streeter et al. 1040
- Cooke, Wm. Bridge. The ecology of fungi; review 369
- Cordycepioides octosporus*, a termite suspected pathogen from Jalisco, Mexico 358
- Cotton 869
- Couchia circumplexa*, a water mold parasitic in midge eggs 1143
- Cox, James J. Notes on coprophilous Myxomycetes from the western United States 741
- Crane, J. L. [Review of] Hyphomycetes, their perfect-imperfect connections 1012
- , and Jean D. Schoknecht. Revision of *Torula* species. *Pseudaeigeria corticalis*, *Taeniolina deightonii* and *Xylohypha bowdichiae* 78
- Cultural characteristics of some species of *Xylaria* 415
- Cultural morphology and sexuality of *Inonotus arizonicus* 167
- Cycloheximide sensitivity as a taxonomic character in *Ceratocystis* 1123
- Cytology, ultrastructure and taxonomy of *Thelebolus* (Ascomycetes) 1
- Dähncke, Rose Marie, and Sabine Maria Dähncke. 700 Pilze in Farbfotos; review 376
- Dähncke, Sabine Maria. See Dähncke and Dähncke 376
- Daily measurements of *Mucor miehei* lipase activity 953
- Day, P. R. Fungal virus populations in corn smut from Connecticut 379
- De, A. B., and Anjali Roy. Studies on Indian polypores. IV. Morphological and cultural characters of *Polyporus gramocephalus* 150
- Deacon, J. W. Introduction to modern mycology; review 1212
- Deml, G., and F. Oberwinkler. Studies in Heterobasidiomycetes. Part 4. Investigations on *Entorrhiza caspariana* by light and electron microscopy 392
- Deploey, J. J., B. Fortman, and L. Perva. Daily measurements of *Mucor miehei* lipase activity 953
- Developmental microbiology; review 801
- Discinella schimperi*, a circumpolar parasite of *Sphagnum squarrosum*, and notes on *Bryophytomyces sphagni* 904
- Discomycetes 263
- Dissing, Henry. Four new species of Discomycetes (Pezizales) from west Greenland 263
- Dong, Sophie, H. E. Bloss, and S. M. Alcorn. Ultrastructure and comparison of *Phymatotrichum omnivorum* and *Sistotrema brinkmannii* 321
- Dowsett, J. A., and J. Reid. Extracellular hyphal sheaths of *Dactylaria brochopaga* 1207
- Dring, D. M. Clathraceae; review
- Dunphy, Gary B., and Richard A. Nolan. Comparative physiology of two isolates of *Entomophthora egressa* 887
- Eboh, Dan O. A taxonomic survey of Nigerian rust fungi: Uredinales Nigerianesis—II 445
- Ecology of fungi; review 369
- Effect of medium, temperature, and age on *Rhizopus delemar* sporangiospore size 362
- Effect of *Pleurotus ostreatus* and *Erwinia carotovora* on wheat straw digestibility 1040
- Effect of sodium and chloride salts on the germination of *Gigaspora margarita* 610
- Effects of topsoil storage during surface mining on the viability of vesicular-arbuscular mycorrhiza 914
- Ellis, David H. Ascomycarp morphology and terminal hair ornamentation in thermophilic *Chaetomium* species 755
- , Sporangiospore ornamentation of thermophilic *Rhizopus* species and some allied genera 511

- Ellis, J. J. The effect of medium, temperatures, and age of *Rhizopus delemar* sporangiospore size 362
- Endogone pisiformis and Endogone multiplex in North Carolina 1092
- Energy-dispersive X-ray analysis of the peridium of *Mutinus caninus* 566
- Englander, Larry. See Moore-Parkhurst and Englander 994
- Entoloma (Agaricales) in Indomalaya and Australasia; review 797
- Erdoes, Gregory W. Virus-like particles in the acrasid cellular slime mold *Guttulinopsis vulgaris* 785
- Erkenbrecher, Carl W. See Stevenson et al. 274
- Eslyn, W. E. See Nakasone and Eslyn 803
- Eukaryotic microbial cell; review 377
- Extra-cellular hyphal sheaths of *Dactylaria brochopaga* 1207
- Extracellular maltase from *Aspergillus flavus* 1130
- Factors affecting vesicular-arbuscular mycorrhizal development and growth of cotton 869
- Farne, moose, flechten mittel-, nord- und westeuropas; review 798
- Farr, M. L. How to know the true slime molds; review 1213
- Ferreira, F. A. See Hodges and Ferreira 334
- . See Muchovej and Ferreira 345
- Figueiredo, Mario B. See Hennen and Figueiredo 350
- Flegler, Stanley L. A method for production of *Volvariella bombycina* fruit bodies in culture 992
- . Energy-dispersive X-ray analysis of the peridium of *Mutinus caninus* 566
- Fortman, B. See Deploey et al. 953
- Four new species of Discomycetes (Pezizales) from west Greenland 263
- French, John J. R. See Roeper and French 202
- Fungal flora of marketed betel nuts 1202
- Fungal viruses; review 584
- Fungal virus populations in corn smut from Connecticut 379
- Fungi associated with *Avicennia germinans* from the vicinity of Port Aransas, Texas 1183
- Fungus diseases of tropical crops; review 802
- Fusarium oxysporum* f. sp. *nicotianae* enzyme production on cell walls isolated from *Meloidogyne incognita*-infected and healthy tobacco roots 715
- Garrison, Robert A. See Koehn and Garrison 1183
- Genera of Hyphomycetes; review 1011
- Genistelloides hibernus: a new trichomycete from a winter-emerging stonefly 477
- Genus Curreya: an example of taxonomic confusion in the Ascomycetes 599
- Genus *Penicillium* and its teleomorphic states *Eupenicillium* and *Talaromyces*; review 582
- Gigaspora gigantea: observations of spore germination of a VA-mycorrhizal fungus 288
- Gilbertson, Robert L. [Review of] A preliminary polypore flora of East Africa 1020
- . See Blackwell and Gilbertson 358
- . See Goldstein and Gilbertson 167
- Ginns, J. [Review of] The resupinate non-poroid Aphyllophorales of the temperate northern hemisphere 1018
- Goldstein, Donna, and R. L. Gilbertson. Cultural morphology and sexuality of *Inonotus arizonicus* 167
- Golesorkhi, Roya. See Manocha and Golesorkhi 976
- Gooday, G. W., D. Lloyd, and A. P. J. Trinci (eds.). The eukaryotic microbial cell; review 377
- Goos, R. D. [Review of] Genera of Hyphomycetes 1011
- Goth, R. W., and S. A. Johnston. Induction of macroconidium formation in *Fusarium moniliforme* 282
- Gould, Ann B., and Anthony E. Libert. Effects of topsoil storage during surface mining on the viability of vesicular-arbuscular mycorrhiza 914
- Grand, L. R., and B. L. Randall. Endogone pisiformis and Endogone multiplex in North Carolina 1092
- Grant, L. F. See James et al. 564
- Greenland, discomycetes 263
- Grogan, Raymond G., George A. Zentmeyer, and Ellis B. Cowling, eds. Annual review of phytopathology, vol. 18; review 800
- Growth and reproduction of Drechslera

- sorokiniana as influenced by pre-emergence herbicides 244
- Growth of the ambrosia fungus *Ambrosiella hartigii* on various nitrogen sources 202
- Growth studies of *Filosporella annelidica* (aquatic hyphomycete) 542
- Grund, D. W., and D. E. Stuntz. Nova Scotian *Inocybes*. VI. 655
- . See Bird and Grund 369
- Gunasekaran, M. Optimum culture conditions for aflatoxin B₂ production by a human pathogenic strain of *Aspergillus flavus* 697
- , and Darrell J. Weber. Influence of physicochemical factors on growth and pigment synthesis by *Pyrenochaeta terrestris* 844
- Halling, Roy E. Notes on *Collybia*. II. Additional taxa that are green in alkaline solution 634
- . Thaxter's *Thaxterogasters* and other Chilean hypogeous fungi 853
- . [Review of] Mushrooms of western North America 374
- Hammill, Terrence M. On *Gliomastix murorum* and *G. felina* 229
- Harrington, T. C. Cycloheximide sensitivity as a taxonomic character in *Ceratocystis* 1123
- Harvey, Alan E. See Larsen et al. 1195
- Hawaiian forest fungi. I. A new species of *Phyllachora* on the tree fern *Cibotium glaucum* 748
- Hawaiian forest fungi. II. Species of *Puccinia* and *Uredo* on *Euphorbia* 1116
- Hennen, Joe F., and Mario B. Figueiredo. The hyphoid aecium, a rust-alga association (*Dasyscypha-Stomatochroon*), and other corrections to neotropical rusts (*Uredinales*) 350
- , and Charles S. Hodges, Jr. Hawaiian forest fungi. II. Species of *Puccinia* and *Uredo* on *Euphorbia* 1116
- Henssen, Aino. [Review of] Lichens of the Alaskan arctic slope 373
- Hesseltine, C. W., R. F. Rogers, and Odette L. Shotwell. Aflatoxin and mold flora in North Carolina in 1977 corn crop 216
- Hewings, A. D., and C. A. Shearer. Growth studies of *Filosporella annelidica* (aquatic hyphomycete) 542
- Hiratsuka, Naohide. See Kaneko and Hiratsuka 577
- Hironaga, M., S. Watanabe, Kazuko Nishimura, and M. Miyaji. Annelated conidiogenous cells in *Exophiala dermatitidis*, agent of phaeohyphomycosis 1181
- Hirrell, Marc C. The effect of sodium and chloride salts on the germination of *Gigaspora margarita* 610
- Histochemical observations on the discomycete, *Pyronema domesticum*, with special reference to apothecial ontogeny 301
- Ho, H. H. Synoptic keys to the species of *Phytophthora* 705
- Hodges, Charles S. Hawaiian forest fungi. I. A new species of *Phyllachora* on the tree fern *Cibotium glaucum* 748
- . See Hennen and Hodges 1116
- Hodges, Clinton F. Growth and reproduction of *Drechslera sorokiniana* as influenced by preemergence herbicides 244
- Hodges, C. S., and F. A. Ferreira. *Korunomyces*, a new genus of fungi imperfecti from Brazil 334
- Holliday, Paul. Fungus diseases of tropical crops; review 802
- Hollings, M. See Molitoris et al. 584
- Horak, E. *Entoloma* (*Agaricales*) in Indomalaya and Australasia; review 797
- Hormone production and reception among different isolates of *Phytophthora parasitica* and *P. palmivora* 440
- Horn, Bruce W. See Peterson et al. 477
- , and Robert W. Lichtwardt. Studies on the nutritional relationship of larval *Aedes aegypti* (Diptera: Culicidae) with *Smittium culisetae* (*Trichomycetes*) 724
- Horn, G. W. See Streeter et al. 1040
- Hosoda, Eiko. Sporulation of oat-cultured *Physarum polycephalum*. I. Sporulation competence of dark starved plasmodia 689
- Host-parasite relations in a mycoparasite. VIII. Light and scanning electron microscopy of interactions of *Piptopezalis virginiana* with host and nonhost species 976
- How to know the gilled mushrooms; review 1021
- How to know the true slime molds; review 1213

- Huang, Bor-Fuei, and Raymond A. Capellini. Sporulation of *Gibberella zeae* V. Respiratory studies on sporulating and nonsporulating cultures 105
- Huang, J. S. See Moorman et al. 715
- Hussey, R. S. See Pugh et al. 869
- Hyphoid aecium, a rust-alga association (*Dasyscypha-Stomatochroon*), and other corrections to neotropical rusts (*Uredinales*) 350
- Hypogeous fungi 853
- Hyphomycetes, their perfect-imperfect connections; review 1012
- Influence of nutrition on the growth and sporulation of two strains of *Epicoccum nigrum* 238
- Influence of physicochemical factors on growth and pigment synthesis by *Pyrenochaeta terrestris* 844
- Ingold, C. T. The nature of toadstools; review 1025
- Inhibitory effects of light on ascospore germination of *Pseudoarachniotus marginosporus* 681
- Initiation of branching in the germ tubes of *Peronospora parasitica* by alcohol 252
- Introduction to modern mycology; review 1212
- Introduction to the mushrooms, toadstools and larger fungi of Queensland; review 795
- Introductory mycology, third edition; review 581
- Induction of macroconidium formation in *Fusarium moniliforme* 282
- In-vitro parasitism of endomycorrhizal fungi of ericaceous plants by the mycophagous nematode *Aphelenchoides bicaudatus* 141
- Isolation of auxotrophic mutants of *Alomyces macrogynus* 493
- Jahns, Hans Martin. Farne, moose, flechten mittel-, nord- und westeuropas; review 798
- James, J. R., T. B. Sutton, and L. F. Grant. Unusual ascocarp formation in *Venturia inaequalis* 564
- Jones, John P. Nuclear behavior in *Hypocreales*: *Calonectria crotalariae* 923
- Johnson, E. L. V. See Nemec et al. 112
- Johnson, T. W., Jr. See Liu and Johnson 1098
- Johnston, S. A. See Goth and Johnston 282
- Jülich, W., and J. A. Stalpers. The resupinate non-poroid *Aphyllorhales* of the temperate northern hemisphere; review 1018
- Jurgensen, Martin F. See Larsen et al. 1195
- Kaneko, Shigeru and Naohide Hiratsuka. *Blastospora betulae* (*Uredinales*) from Japan 577
- Kariya, Naomi, and Ronald Toth. Ultrastructure of the mycorrhizal association formed between *Zea diploperennis* and *Glomus fasciculatus* 1027
- Kendrick, Bryce, and Kris A. Pirozynski. Luella Kayla Weresub (1918-1979) 211
- Keys
Aspergillus, species 1060; *Collybia* sect *Levipedes*, species 635; *Entonaema*, species 59; *Phytophthora*, aquatic species 712; *Phytophthora*, pathogenic species 711; *Phytophthora*, species 707; *Sarcosydon*, species 59; *Thalassoscypha*, species 841; *Thecothecium*, non-coprophilous species 1004; *Urnula*, species 272
- Kim, W. K. See Lau et al. 97
- Kimbrough, James W. Cytology, ultrastructure, and taxonomy of *Thelebolus* (*Ascomycetes*) 1
- . [Review of] Introductory mycology, third edition 581
- Ko, W. H., and R. K. Kunitomo. Hormone production and reception among different isolates of *Phytophthora parasitica* and *P. palmivora* 440
- Koehler, P. E. See Wong et al. 649
- Koehn, Robert D., and Robert A. Garrison. Fungi associated with *Avicennia germinans* from the vicinity of Port Aransas, Texas 1183
- Koevenig, James L., and Edwin H. Liu. Carboxymethyl cellulase activity in the myxomycete *Physarum polycephalum* 1085
- Kohlmeyer, Jan. Marine fungi from Easter Island and notes on *Thalassoscypha* 833
- Korf, Richard P. [Review of] Farne, moose, flechten mittel-, nord- und westeuropas 798, 799

- . [Review of] 700 Pilze in Farbfotos 376
- Korunomyces, a new genus of fungi imperfecti from Brazil 334
- Koske, R. E. *Gigaspora gigantea*: observations on spore germination of a VA-mycorrhizal fungus 288
- . *Labyrinthula* inside the spores of a vesicular-arbuscular mycorrhizal fungus 1175
- Kunimoto, R. K. See Ko and Kunimoto 440
- LaFavre, J. S. See Mahoney and LaFavre 931
- Labyrinthula* in the spores of a vesicular-arbuscular mycorrhizal fungus 1175
- Largent, David L. [Review of] *Entoloma* (Agaricales) in Indomalaya and Australasia 797
- Larsen, Michael J., Martin F. Jurgensen, and Alan E. Harvey. *Athelia* epiphylla associated with colonization of subalpine fir foliage under psychrophilic conditions 1195
- Lasure, Linda L. A morphological variant of *Mucor miehei* 555
- Lau, R. H., J. Reid, and W. K. Kim. Virus-like particles in *Alternaria tenuis* 97
- Leelavathy, K. M., S. Zachariah, and K. V. Sankaran. *Clarkeinda trachodes*—an agaric new to India 204
- . See Zachariah et al. 208
- Lentz, Paul L. W. W. Diehl, 1891–1978 587
- Levetin, Estelle. See Bonnell and Levetin 238
- Li, C. Y. Phenoloxidase and peroxidase activities in zone lines of *Phellinus weirii* 811
- Li, Sui-Fong. Studies on the tolerance to elevated temperatures in *Pleurotus ostreatus*; review 1024
- Liberta, Anthony E. See Gould and Liberta 914
- Lichens of the Alaskan arctic slope; review 733
- Lichtwardt, Robert W. See Horn and Lichtwardt 724
- . See Peterson et al. 477
- Lin, Y. C. See Wong et al. 649
- Liu, Bo, and T. W. Johnson, Jr. A brief historical survey of fungal taxonomy and floristics in China 1098
- Liu, Edwin H. See Koevenig and Liu 1085
- Lloyd, D. See Gooday et al. 377
- Lowy, B. [Review of] The wondrous mushroom. Mycolatry in Mesoamerica 789
- Lowry, B. See Oberwinkler and Lowry 1108
- Luella Kayla Weresub (1918–1979) 211
- McGinnis, Michael R. [Review of] Medical mycology 373
- McMeekin, Dorothy. Initiation of branching in the germ tubes of *Peronospora parasitica* by alcohol 252
- . The response of *Peronospora parasitica* to a liver medium 551
- Mahoney, D. P., and J. S. LaFavre. *Coniochaeta extramundana*, with a synopsis of other *Coniochaeta* species 931
- Manocha, M. S., and Roya Golesorkhi. Host-parasite relations in a mycoparasite. VIII. Light and scanning electron microscopy of interactions of *Piptopeziza virginiana* with host and nonhost species 976
- Marine fungi from Easter Island and notes on *Thalassosira* 833
- Martin, W. Wallace. *Couchia circumplexa*, a water mold parasitic in midge eggs 1143
- Mathur, R. S. The Coelomycetes of India; review 371
- Medical mycology; review 373
- Mehnamyces (Uredinales) reinstated 778
- Meinhardt, F. Untersuchungen zur Genetik des Fortpflanzungsverhaltens und der Fruchtkörper und Antibiotikabildung des Basidiomyceten *Agrocybe aegerita*; review 1024
- Menge, J. A. See Nemeček et al. 112
- Method for production of *Volvariella bombycina* fruit bodies in culture 992
- Method for the synthesis of a mycorrhizal association between *Peizizella ericae* and *Rhododendron maximum* seedlings growing in a defined medium 994
- Micro-morphological studies of soft rot fungi in wood; review 1023
- Mikols, P. (ed.). Tropical mycorrhiza research; review 1026
- Mims, Charles W. See Alexopoulos and Mims 581

- Misra, Alok, and J. K. Misra. Fungal flora of marketed betel nuts 1202
- Misra, J. K. See Misra and Misra 1202
- Miyaji, M. See Hironaga et al. 1181
- Molitoris, H. P., M. Hollings, and H. A. Wood (eds.). Fungal viruses; review 584
- Mondal, Gopal Chandra, Dipak Nandi, and Balen Nandi. Studies on deterioration of some oil seeds in storage I: variation in seed moisture, infection and germinability 157
- Moore-Landecker, Elizabeth. Histochemical observations on the discomycete, *Pyronema domesticum*, with specific reference to apothecial ontogeny 301
- Moore-Parkhurst, Susan, and Larry Englander. A method for the synthesis of a mycorrhizal association between *Peizella ericae* and *Rhododendron* maximum seedlings growing in a defined medium 994
- Moorman, G. W., J. S. Huang, and N. T. Powell. *Fusarium oxysporum* f. sp. *nicotianae* enzyme production on cell walls isolated from *Meloidogyne incognita*-infected and healthy tobacco roots 715
- Morgan-Jones, John F. Ascocarp development in *Mamianiella coryli* var *spiralis* 429
- Morphological variant of *Mucor miehei* 355
- Muchovej, J. J., and F. A. Ferreira. A new species of *Phaeoramularia* from Brazil 345
- Mulleavy, Perry, and O'Neil Ray Collins. CIPC-induced and spontaneously produced diploid myxamoebae in a myxomycete, *Didymium iridis*: a study of mating-type heterozygotes 62
- Mushroom hunter's field guide; review 794
- Mushrooms of Idaho and the Pacific Northwest: Discomycetes; review 800
- Mushrooms of western North America; review 374
- Mushrooms of western North America; review 802
- Mycological Society of America, presidential address. Kimbrough, James W. 1
- Mycologists, biographies
- Diehl, W. W. 587; Weresub, Luella K. 211
- Mycologists, portraits
- Diehl, W. W. (4) frontisp.; Kimbrough, James W. (1) frontisp.; Weresub, Luella K. (2) frontisp.
- Myxophagous nematode 141
- Mycorrhizae 288
- Myxamoebae 62
- Myxomycete isolated from discolored wood of living red maple 997
- Nag Raj, T. R. [Review of] *The Coelomycetes* 1014
- . [Review of] *The Coelomycetes of India* 371
- Nakasone, K. K. See Burdsall and Nakasone 454
- , and W. E. Eslyn. A new species, *Phlebia brevispora*, a cause of internal decay in utility poles 803
- Nandi, Balen. See Mondal et al. 157
- Nandi, B. See Chattopadhyay and Nandi 407
- Nandi, Dipak. See Mondal et al. 157
- Nature of toadstools; review 1025
- Natvig, Donald O. New evidence for true facultative anaerobiosis in two members of the Rhipidiaceae with notes on occurrence frequencies and substratum preferences 531
- Nemec, S., J. A. Menge, R. G. Platt, and E. L. V. Johnson. Vesicular-arbuscular mycorrhizal fungi associated with citrus in Florida and California and notes on their distribution and ecology 112
- New evidence for true facultative anaerobiosis in two members of the Rhipidiaceae with notes on occurrence frequencies and substratum preferences 531
- New genera of Agaricales 500
- New noncoprophilous species of *Thecotheus*, *T. phycophilus* 1001
- New North American species: *Physalacria cryptomeriae* 643
- New or little known lignicolous Aphyllophorales (Basidiomycotina) from southeastern United States 1454
- New species of *Cercoseptoria* causing a leaf spot of ginger 774
- New species of *Phaeoramularia* from Brazil 345
- New species of *Septonema* from Indian soil 208
- New species of *Trichocladium* from Indian soil 1186
- New species, *Phlebia brevispora*, a cause of internal decay in utility poles 803

- Nielsen, Tom A. B. See Olson et al. 559
 ———. See Olson and Nielsen 493
 Nishimura, Kazuko. See Hironaga et al. 1181
 Nolan, Richard A. See Dunphy and Nolan 887
 Notes on Collybia. II. Additional taxa that are green in alkaline solution 634
 Notes on coprophilous Myxomycetes from the western United States 741
 Notices 1215
 Nova Scotian Inocybes. VI. 655
 Nova Scotian species of Hygrophorus; review 369
 Nuclear behavior in Hypocreales: Calonectria crotalariae 923
 Nutritional studies of a marine Phlyctochytrium sp. 1049
 Nutrition in Fusarium moniliforme var. subglutinans causing mango malformation 407
 Oberwinkler, F., and B. Lowry. Syzygospora alba, a mycoparasitic heterobasidiomycete 1108
 ———. See Deml and Oberwinkler 392
 ———. See Wright et al. 880
 Occurrence of Chalara elegans 524
 Occurrence of psilocybin/psilocin in Pluteus salicinus (Pluteaceae) 781
 Occurrence of two Fusarium species in two maize cultivars in West Africa 1004
 Ogundero, Vincent W. Thermophilic fungi from Nigerian palm produce 198
 Olson, Lauritz W., Claus Barr, and Tom A. B. Nielsen. A simple device for replica plating aquatic phycomycetes 559
 ———, and Tom A. B. Nielsen. Isolation of auxotrophic mutants of Allomyces macrogynus 493
 Olutiola, Patrick O. Extracellular maltase from Aspergillus flavus 1130
 On Gliomastix murorum and G. felina 229
 Optimum culture conditions for aflatoxin B₂ production by a human pathogenic strain of Aspergillus flavus 697
 Orr, Dorothy B. See Orr and Orr 374
 Orr, Robert T., and Dorothy B. Orr. Mushrooms of western North America; review 374
 ———, and ———. Mushrooms of western North America; review 802
 Ostrofsky, Andrea, and Alex L. Shigo. A myxomycete isolated from discolored wood of living red maple 997
 Peberdy, John F. Developmental microbiology; review 801
 Pegler, David N. [Review of] Introduction to the mushrooms, toadstools and larger fungi of Queensland 795, 796
 Peroxidase activities 811
 Perva, L. See Deploey et al. 953
 Peterson, Stephen W., Robert W. Lichtwardt, and Bruce W. Horn. Genistelloides hibernus: a new trichomycete from a winter-emerging stonefly 477
 Pfister, Donald H. A new noncoprophilous species of Thecotheus, T. phycophilus 1001
 Phaeohyphomycosis 1181
 Phenoloxidase and peroxidase activities in zone lines of Phellinus weirii 811
 Phialoarthrobotryum brasiliense 348
 Phytophthora cinnamomi and the diseases it causes; review 801
 700 Pilze in Farbfotos; review 376
 Pirozynski, Kris A. See Kendrick and Pirozynski 211
 Pitt, John I. The genus Penicillium and its teleomorphic states Eupenicillium and Talaromyces; review 582
 Plant diseases attributed to Botryodiplodia theobromae Pat.; review 801
 Platt, R. G. See Nemec et al. 112
 Powell, N. T. See Moorman et al. 715
 Powell, P. E. See Szaniszló et al. 1158
 Preliminary polypore flora of East Africa; review 1020
 Presidential address, Kimbrough, James W. 1
 Preusser, Hans-Jürgen (ed.). Medical mycology; review 373
 Production of hydroxamate siderophore iron chelators by ectomycorrhizal fungi 1158
 Prusso, Don C. The type of Tylostoma gracile 1009
 Pseudocochliobolus australiensis, the ascigerous state of Bipolaris australiensis 88
 Psychrophilic yeast 618
 Pteridophytes, Equisetum 271

- Pugh, Lynn M., R. W. Roncadori, and R. S. Hussey. Factors affecting vesicular-arbuscular mycorrhizal development and growth of cotton 869
- Punithalingam, E. Plant diseases attributed to *Botryodiplodia theobromae* Pat.; review 801
- Pyrimidine sporulation medium for *Filobasidiella* 343
- Rahman, M. U. See Zachariah et al. 1186
- Ramachar, P., and A. Sudhakara Rao. *Mehtamyces* (Uredinales) reinstated 778
- Randall, B. L. See Grand and Randall 1092
- Rao, A. Sudhakara. See Ramachar and Rao 778
- Rathaiah, Y. A new species of *Cercosporia* causing a leaf spot of ginger 774
- Redhead, S. A., and K. W. Spicer. *Discinella schimperi*, a circumpolar parasite of *Sphagnum squarrosum*, and notes on *Bryophytomyces sphagni* 904
- Regulation of growth and pigmentation of *Monascus purpureus* by carbon and nitrogen concentrations 649
- Reid, C. P. P. See Szanislo et al. 1158
- Reid, J. See Dowsett and Reid 1207
- See Lau et al. 97
- Respiratory studies, *Gibberella* 105
- Response of *Peronospora parasitica* to a liver medium 551
- Resupinate non-poroid *Aphylllophorales* of the temperate northern hemisphere; review 1018
- Revision of *Chrysosporium* and allied genera; review 1013
- Revision of *Torula* species. *Pseudaeigeria corticalis*, *Taeniolina deightonii* and *Xylohypha bowdichiae* 78
- Rhodes, L. H. See Shafer et al. 141
- Riedel, R. M. See Shafer et al. 141
- Roeper, Richard A., and John J. R. French. Growth of the ambrosia fungus *Ambrosiella hartigii* on various nitrogen sources 202
- Roncadori, R. W. See Pugh et al. 869
- Rogers, Jack D. *Sarcoxylen* and *Entonaema* (Xylariaceae) 28
- See Chacko and Rogers 415
- Rogers, R. F. See Hesseltine et al. 216
- Rogerson, Clark T. See Berthier and Rogerson 613
- Rosing, Wayne C. Ultrastructure of septa in *Chaetomium brasiliense* (Ascomycotina) 1204
- Rossi, M. Graziella Cesari. See Rossi and Rossi 554
- Rossi, Walter and M. Graziella Cesari Rossi. Two new species of *Rhachomyces* (Ascomycetes, Laboulbeniales) parasitic on *Orotrechus* (Coleoptera, Carabidae, Trechini) 554
- Rossman, Amy Y. [Review of] Taxonomic studies in the Phacidiales: the genus *Coccoomyces* (Rhytismataceae) 793
- Roy, Anjali. See De and Roy 150
- Rust-alga association 350
- Ryvarden, Leif, and Inger Johansen. A preliminary polypore flora of East Africa; review 1020
- Samson, Robert A. [Review of] The genus *Penicillium* and its teleomorphic states *Eupenicillium* and *Talaromyces* 582
- Sankaran, K. V. See Leelavathy et al. 204
- See Zachariah et al. 208, 1186
- Sarcoxylen* and *Entonaema* (Xylariaceae) 28
- Saupe, Stephen G. Occurrence of psilocybin/psilocin in *Pluteus salicinus* (Pluteaceae). 781
- Savile, D. B. O. The supposed rust of *Echinochloa* 1007
- Schlitz, R. L. See Ahearn and Schlitz 343
- Schmitz, Helga. Untersuchungen zur Konservierung der Fruchtkörper des *Spesepilzes* *Pleurotus ostreatus* und der partiellen Autolyse von Pilzlebewänden; review 1024
- Schoknecht, Jean D. See Crane and Schoknecht 78
- Shafer, S. R., L. H. Rhodes, and R. M. Riedel. In-vitro parasitism of endomycorrhizal fungi of ericaceous plants by the mycophagous nematode *Aphelenchoides bicaudatus* 141
- Shearer, C. A. [Review of] The ecology of fungi 369
- See Hewings & Shearer 542
- Sherwood, Martha. Taxonomic studies in the Phacidiales: the genus *Coccoomyces* (Rhytismataceae); review 793
- Shigo, Alex L. See Ostrofsky and Shigo 997

Shotwell, Odette L. See Hesseltrine et al. 216

Simple device for replica plating aquatic phycomycetes 559

Singer, Rolf. New genera of Agaricales 500

Sivanesan, A. Balladynopsis, Balladynocallia and Alina; review 1023

Smith, Alexander H. [Review of] A bibliography of North American Gasteromycetes: I. Phallales 794

—, [Review of] Nova Scotian species of Hygrophorus 369

—, Helen V. Smith, and Nancy S. Weber. How to know the gilled mushrooms; review 1021

—, and Nancy Smith Weber. The mushroom hunter's field guide; review 794

Spermatophytes

Abies 401, 1196; Acanthus 526; Acer 401, 528, 997, 1096; Achillea 526; Adenostoma 937; Aesculus 527; Agave 823; Agoseris 526; Agropyron 526, 915; Allium 113, 526, 611, 915, 1027, 1035; Alnus 526, 812, 908; Amaranthus 526; Ammophila 289; Anagallis 526; Apios 526; Apium 525; Arctostaphylos 526; Areca 1202; Artemisia 915, 1072; Asparagus 526; Atriplex 1072; Avena 526; Avicennia 1183; Azalea 526; Baccharis 526; Baptisia 526; Begonia 526; Berberis 526; Beta 526; Betula 267, 526; Borago 526; Bouteloua 915; Brassica 157, 526; Buddleja 526; Callistemon 526; Calluna 142; Calycanthus 526; Cannabis 526; Carya 1096; Capsicum 611; Caragana 526; Carex 526, 915; Cassiope 271; Castanea 526; Catalpa 526; Ceanothus 526; Cercis 526; Chamaenerium 271; Chenopodium 526; Chrysothamnus 1072; Cirsium 526; Citrus 113, 525, 526; Colchicum 62; Coleogyne 1072; Commelina 526; Cornus 526, 1096; Cotoneaster 526; Cryptomeria 643; Cucumis 526; Cucurbita 526; Cynara 526; Cyperus 526; Dahlia 526; Datura 526; Daucus 525, 526; Diospyros 526; Dipsacus 526; Duchesnea 526; Echinochloa 1008; Eichhornia 537; Elaeis 198; Empetrum 271; Epilobium 526; Equisetum 1001; Erechthites 526; Erigeron 526; Eschscholtzia 526; Eucalyptus 527; Euphorbia 526; Euphrasia 267; Fagopy-

rum 526; Foeniculum 526; Fourquiera 823; Fraxinus 169; Galium 526; Geranium 526; Ginkgo 526; Gleditsia 526; Glycine 526, 1035; Glycyrrhiza 526; Gnaphalium 526; Gossypium 526, 869; Grayia 1072; Gutierrezia 915; Hedera 526; Holcus 526; Hordeum 526; Humulus 526; Hypericum 526; Hypochaeris 526; Ilex 526; Ipomoea 525; Iris 526; Juglans 169; Juniperus 526, 1072; Jussiaea 526; Kalnia 142; Kobresia 267; Kochia 915; Laburnum 526; Lactuca 526; Lantana 526; Larix 401; Lathyrus 526; Ledum 271; Leptospermum 526; Linum 157, 526; Lippia 526; Liquidambar 1189; Liriodendron 1027; Lupinus 526; Luzula 271; Lycopersicon 526; Malus 525, 526, 532; Malva 526; Medicago 526; Melilotus 526; Mentha 526; Metasequoia 526; Metrosideros 749; Mimulus 526; Morus 526; Nicotiana 526, 716, 1027; Nothofagus 854; Olea 526; Ononis 526; Onobrychis 526; Ornithogalum 1027; Oryza 1008; Parietaria 526; Perezia 823; Petunia 526; Phaseolus 527, 1027; Phlox 527; Physalis 527; Pilea 1001; Pinus 527, 401, 1072, 1093, 1096, 1189; Pisum 527; Plantago 527; Platanus 527; Polygonum 527; Poncirus 113; Populus 527; Prunella 527; Prunus 169, 527; Pseudotsuga 400, 528; Pyrola 271; Pyrus 525; Quercus 169, 527, 528, 537, 665, 998, 1096; Raphanus 527; Rhododendron 142, 527, 994; Rhus 527; Ribes 527; Ricinus 527; Rosa 527; Rubus 527; Rumex 527; Salicornia 1184; Salix 267, 271, 527; Salvia 937; Scrophularia 527; Senecio 527; Sequoia 527, 528; Sesamum 157; Sesuvium 1184; Sida 527; Silene 527; Silybum 527; Simmondsia 822; Solanum 525, 527; Sonchus 527; Sorghum 113, 872; Spartina 1184; Stellaria 527; Stachys 527; Symphytum 527; Tamaria 527; Thalictrum 527; Thermopsis 527; Thuja 401; Thymus 527; Trifolium 527; Tsuga 401, 656; Umbellaria 528; Urtica 527; Vaccinium 142, 271; Veratrum 527; Vicia 527; Vinca 527, 529; Wisteria 527; Yucca 823; Zea 527, 916, 1004, 1027; Zingiber 774; Zostera 1179

Spicer, K. W. See Redhead and Spicer 904

- Sporangiospore ornamentation of thermophilic *Rhizopus* species and some allied genera 511
- Spore ornamentation in the *Tricholomataceae* I. 128
- Sporulation of *Gibberella zeae* V. Respiratory studies on sporulating and non-sporulating cultures 105
- Sporulation of oat-cultured *Physarum polycephalum*. I. Sporulation competence of dark starved plasmodia 689
- Stable heterokaryon of *Endothia parasitica* 570
- Stevenson, L. Harold, Thomas H. Chrzanowski, and Carl W. Erkenbrecher. Temporal fluctuations in the density of filamentous fungal propagules in the water of a high-marsh creek 274
- Steyn, Pieter S., (ed.). The biosynthesis of mycotoxins, a study in secondary metabolism; review 792
- Streeter, C. L., K. E. Conway, and G. W. Horn. Effect of *Pleurotus ostreatus* and *Erwinia carotovora* on wheat straw digestibility 1040
- Studies in Heterobasidiomycetes. Part 4. Investigations on *Entorrhiza caspariana* by light and electron microscopy 392
- Studies on deterioration of some oil seeds in storage I: variation in seed moisture, infection and germinability 157
- Studies on Indian polypores. IV. Morphological and cultural characters of *Polyporus grammoccephalus* 150
- Studies on the nutritional relationship of larval *Aedes aegypti* (Diptera: Culicidae) with *Smittium culisetae* (Trichomycetes) 724
- Studies on tolerance to elevated temperatures in *Pleurotus ostreatus*; review 1024
- Stuntz, D. E. [Review of] How to know the gilled mushrooms 1021
- . See Grund and Stuntz 655
- Supposed rust of *Echinochloa* 1007
- Sutton, Brian C. The *Coelomycetes*; review 1014
- Sutton, T. B. See James et al. 564
- Synoptic key and evaluation of species in the *Aspergillus flavus* group 1056
- Synoptic keys to the species of *Phytophthora* 705
- Syzygospora alba*, a mycoparasitic heterobasidiomycete 1108
- Szaniszlo, P. J., P. E. Powell, C. P. P. Reid, and G. R. Cline. Production of hydroxamate siderophore iron chelators by ectomycorrhizal fungi 1158
- Taxonomic studies in the Phacidiales: the genus *Coccomyces* (Rhytismataceae); review 793
- Taxonomic survey of Nigerian rust fungi: Uredinales Nigerianesis—II 445
- Taxonomy of *Sporotrichum pruinosum* and *Sporotrichum pulverulentum*/*Phanerochaete chrysosporium* 675
- Taylor, John. [Review of] Introduction to modern mycology 1212
- Teichosporella dura 988
- Telleria, M. T. Contribución al estudio de los Aphyllophorales españoles; review 1017
- Temporal fluctuations in the density of filamentous fungal propagules in the water of a high-marsh creek 274
- Thaxter's Thaxterogasters and other Chilean hypogeous fungi 853
- Thermophilic fungi from Nigerian palm produce 198
- Thiers, Harry D. [Review of] The mushroom hunter's field guide 794, 795
- Thomas, Melville D. Occurrence of two *Fusarium* species in two maize cultivars in West Africa 1004
- Thomas, John W. Lichens of the Alaskan arctic slope; review 373
- Topographic features of chytrids collected from a sphagnum bog 1189
- Toth, Ronald. See Kariya and Toth 1027
- Tricholomataceae* 128
- Trichomycetes 477
- Trinci, A. P. J. See Gooday et al. 377
- Tropical mycorrhiza research; review 1026
- Tsuda, Mitsuya, and Akinori Ueyama. *Pseudocochliobolus australiensis*, the ascigerous state of *Bipolaris australiensis* 88
- Tubaki, K. Hyphomycetes, their perfect-imperfect connections; review 1012
- Two new species of Rhacomycetes (*Ascomycetes*, Laboulbeniales) parasitic on *Orotrechus* (Coleoptera, Carabidae, Trechini) 554
- Tylutki, Edmund E. Mushrooms of Idaho and the Pacific Northwest: *Discomycetes*; review 800
- Type of *Tylostoma gracile* 1009

- Ueyama, Akinori. See Tsuda and Ueyama 88
- Ultrastructure 1
- Ultrastructure and comparison of *Phymatotrichum omnivorum* and *Sistotrema brinkmannii* 321
- Ultrastructure of septa in *Chaetomium brasiliense* (Ascomycotina) 1204
- Ultrastructure of the mycorrhizal association formed between *Zea diploperennis* and *Glomus fasciculatus* 1027
- Untersuchungen zur Genetik des Fortpflanzungsverhaltens und der Fruchtkörper und Antibiotikabildung des Basidiomyceten *Agrocybe aegerita*; review 1024
- Untersuchungen zur Konservierung der Fruchtkörper des Spesepilzes *Pleurotus ostreatus* und der partiellen Autolyse von Pilzselwänden; review 1024
- Unusual ascocarp formation in *Venturia inaequalis* 564
- Upadhyay, H. P. *Phialoarthrotryum brasiliense* 348
- van Oorschot. A revision of *Chrysosporium* and allied genera; review 1013
- Van Warmelo, K. T., and B. C. Sutton. Coelomycetes. VII. *Stegonsporium*; review 1023
- Vesicular-arbuscular mycorrhiza 869
- Vesicular-arbuscular mycorrhizal fungi associated with citrus in Florida and California and notes on their distribution and ecology 112
- Vesonder, R. F. [Review of] The biosynthesis of mycotoxins, a study in secondary metabolism 792, 793
- Virus, corn smut 379
- Virus-like particles in *Alternaria tenuis* 97
- Virus-like particles in the acrasid cellular slime mold *Guttulinopsis vulgaris* 785
- Vishniac, Helen S. See Baharreen and Vishniac 618
- Watanabe, S. See Hironaga et al. 1181
- Wasson, R. Gordon. The wondrous mushroom. Mycolatry in Mesoamerica; review 789
- Weber, Darrell J. See Gunasekaran and Weber 844
- Wegbereitende deutsche Phytopathologen; review 1025
- Welden, A. L. [Review of] Contribución al estudio de los Aphylophorales españoles 1017
- Wondrous mushroom. Mycolatry in Mesoamerica; review 789
- Wong, H. C., Y. C. Lin, and P. E. Koehler. Regulation of growth and pigmentation of *Monascus purpureus* by carbon and nitrogen concentrations 649
- Wood-decay capability of *Albatrellus distans* 399
- Wood, H. A. See Molitoris et al. 584
- W. W. Diehl, 1891-1978 587
- Wright, J. E., R. Bandoni, and F. Oberwinkler. *Agaricostilbum*: an auricularioid Basidiomycete 880
- Wulff, Barry L. [Review of] How to know the true slime molds 1213
- Xylariaceae 28
- Yarwood, C. E. The occurrence of *Chalara elegans* 524
- Young, Deborah J., and S. M. Alcorn. A *Coniothyrium* sp. causing leaf blight of jojoba 822
- Zachariah, S., K. V. Sankaran, and K. M. Leelavathy. A new species of *Septonema* from Indian soil 208
- . See Leelavathy et al. 204
- , K. V. Sankaran, and M. U. Rahman. A new species of *Trichocladium* from Indian soil 1186
- Zainal, A. S. Micro-morphological studies of soft rot fungi in wood; review 1023
- Zatau, William C. Topographic features of chytrids collected from a sphagnum bog 1189
- Zentmeyer, George A. *Phytophthora cinnamomi* and the diseases it causes; review 801

FUNGOUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa and the pages where they are published are in bold-face type. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

- Acaulospora 123, 296, 1092; laevis 123, 125
 Achlya 1156; ambisexualis 1090
 Acrasis rosea 787
 Acremonium 230, 1185; murorum 236
 Aecidium 445, 447, 452; codiae 448; charantiae 447; momordicae 447; schwenkiae 451
 Aegerita 81; candida 341
 Aessosporon salmonicolor 632
 Agaricostilbum 880-886; palmicolum 880-886, f 882, f 884
 Agaricus melleorubens 189, 193; olivae-sporus f 191
 Agropybe praecox 318
 Albatrellus dispansus 399-406, f 402, f 403
 Aleuria 18
 Allomyces 493; subg Euallomyces 493; arbuscula 493, 494; macrogynus 493-499, 559, 560
 Alternaria 160, 161, 1000, 1184, 1185, 1202; alternata 98; brassicae 160, 164; brassicola 160, 164; linicola 160, 164; sesami 160, 164; tenuis 97-104, f 101
 Amanita muscaria 1159; rubescens 141
 Ambrosiella hartigii 202-204
 Amerobotryum 885; indicum 880, 885
 Amphinema **arachispora** 455, f 456; byssoides 455, 457
 Anthracoidea 398
 Anthracothecium 608; leucostomum 606, f 607
 Aphanomyces sexualis 1156
 Apiotrichum 630
 Aqualinderella 539; fermentans 531, 532
 Armillaria macrospora 187, 188; mellea 178, 331; melleorubens 189; solidipes 186
 Armillariella mellea 194; **macrospora** 187, f 189; melleorubens f 189, f 192, 194; **solidipes** 186, f 189
 Arthothelium 608; sanguineum 603, f 607
 Arthrimum 1105
 Arthrobacter flavescens 1162, 1168
 Arthroderma 681
 Ascobolus 318; stercorarius 317, 961, 971
 Ascodesmis 16; sphaerospora 331
 Ascophanus 2
 Aspergillus 13, 494, 495, 560; attinii 1057; avenaceus 1057-1068, 1077, 1078; candidus 160, 164; cervinus 1081; chevalieri 164; clavato-flavus 1057-1069, 1077-1080; clavatus 164, 223; coremiiformis 1057-1069, 1078, 1080; corolligenus 1056, 1057; flavo-furcatus 1057-1069, 1078; flavus 216-228, 697-704, 1056-1084, f 1065, 1130-1142, 1185, 1202, 1203; var columnaris 1057-1059, 1067-1070; var flavus 1070; fumigatus 160, 164, 199-201, 937, 1059, 1077; funiculosus 160, 164; giganteus 160, 164; glaucus 160, 1059; insecticola 1056, 1057; kambarensis 1057, 1059, 1064-1077; leporis 1056-1065, f 1065, 1067-1072, 1078, 1080; melleus 1202; nidulans 199, 200, 1067; niger 160, 164, 218-227, 653, 1185, 1202; var phoenicis 1202; ochraceus 1059, 1202, 1203; ornatus 1058; oryzae 1057-1064, 1073-1080; var effusus 1067, 1072, 1073; var oryzae 1057, 1067-1072; parasiticus 218, 219, 700-703, 1056-1080; var globosus 1075; f sojae 1074; repens 160, 164; sojae 1056-1078; subolivaceus 1057-1077; sydowi 160, 164, 1202; tamaritii 1057-1080, 1202; terricola 1058; terreus 223, 1058, 1185; thomii 1058, 1077; toxicarius 1057-1077; ustus 1058, 1202; versicolor 259, 1058; wettii 1058; zonatus 1057-1067, 1075-1080
 Athelia epiphylla 1195, f 1197
 Atkinsonella entomophaga 1156
 Atkinsonella 594
 Aureobasidium pullulans 937
 Bacillus 812
 Badhamia apiculospora 744, 745; goniospora 745
 Balansia 591, 593

- Balansioopsis 594
 Basidiobolus 901; meristosporus 901
 Bipolaris 88; australiensis 88-90-96, f 93;
 hawaiiensis 89-96, f 91; maydis 1207
 Blastocladiella 535, 537; pringsheimii 535,
 901
 Blastocladia emersonii 902
 Blastospora betulae 577-580, f 579; itoana
 578, f 580; smilacis 577
 Blyttomyces helicus 1189-1191, f 1193
 Bolbitis tener var incarnata 181
 Boletus edulis 1160-1174
 Bombardia lunata 961, 973, 974
 Botryodiplodia theobromae 1005
 Botryohyphomys *chordulatus* f 456, 457;
 isabellinus 458
 Bryophytomyces 904; sphagni 904-913
 Bovistella pusilla 833
 Buergenerula spartinae 1185
 Bulbillomyces farinosus 341
 Bullaria velata 1120
 Byssomerulius hirtellus 1200
- Calathella 487
 Callistodermatium violascens 506, f 506
 Calomyxa metallica 744
 Calonectria 923; crotalariae 923-930,
 f 925, f 926, f 929
 Calvatella 1104
 Calyptrina 505
 Camarops 43; spatulata 43, 45, f 48
 Camarosporium roumegueri 1184, 1185
 Candida 630
 Catacauma 753
 Catathelasma 188
 Cenococcum geophilum 1160; graniforme
 141, 1160
 Cephalosporium 233, 998, 1000
 Ceratocystis 1123-1129; abiocarpa 1126;
 adiposa 1126; adjuncta 1126; ambrosia
 1126; bicolor 1126; brevicollis
 1126; californica 1126; coerulea
 1124, 1126; crassivaginata 1127; denticulata
 1127; distorta 1127; dryocotidis
 1126; eucastanea 1127; europhoides
 1126; fagacearum 1126; fimbriata
 1124, 1126; fraxinopennsylvanica
 1127; galeiformis 1125, 1126; gossypina
 1127; huntii 1124, 1126; ips
 1126; microspora 1125, 1127; minor
 1127; minuta 1125, 1127; moniliformis
 1126; montia 1126; olivacea 1126;
 olivaceopini 1126; paradoxa 1124,
 1126; perfecta 1127; perparvispora
 1125; picea 1127; pilifera 1124, 1127;
 pluriannulata 1127; ponderosa 1127;
 populina 1127; retusi 1127; serpens
 1125, 1126; stenoceras 1127; tenella
 1127; tremulo-aurea 1127; ulmi 572,
 1127
 Ceratocystopsis 1123, 1125
 Cercoseptoria *zingiberis* 774-777, f 775-
 777
 Cercospora 345, 347; arachidicola 449;
 stenolobiiicola 347; tocomae 347
 Cercosporidium personatum 449
 Cerium 30; paradoxa 40
 Cerotelium fici 833
 Chaconia *maprouniae* 333
 Chaetocalathus 487; sect Holocystis 487,
 489; craterellus 489; liliputanus 487,
 489
 Chaetomidium 11; arxii 1204, 1205
 Chaetomium 160, 164, 755-773; brasiliense
 1204-1207, f 1205, f 1206; cellulolyticum
 756-773, f 767; erraticum
 756-773, f 763; gracile 756-773, f 760,
 f 762; rectopilum 756-773, f 764,
 f 766; thermophile 199, 200, f 758,
 f 759, f 768; var coprophile 756-773,
 f 758; var dissitum 756-773, f 758
 Chaetoptera 608; calvescens 601; pusilla
 601, f 604
 Chalarina 1123, 1124; elegans 524-530, 1125,
 1128
 Chionosphaera 885
 Chlamydopus 1009; clavatus 1009; meyerianus
 1009
 Choanephora cucurbitarum 976-987
 Christiansenia pallida 1114
 Chromocrepis 30, 38, 40; bicolor 40; cubispora
 38, f 39, f 42, f 48; hirsuta 40;
 striispora 38
 Chrysosporium lignorum 675; pruinatum
 675
 Cladosporium 881; cladosporioides 1185;
 oxysporium 1185
 Clarkeina trachodes 204-207, f 206
 Clitocybe 128; sect Candicans 139; sect
 Clitocybe 138; sect Disciformes 138;
 sect Verruculosae 138; aeruginosa
 139; bartelliae f 132, 136; benekei 131,
 f 133; broadwayi 131, f 133; celata
 f 135, 138; clavipes 129, f 130, 131,
 136; dealbata 137; densifolia 131,
 f 132; fasciculata 131, f 135, 136; flaccida
 131, f 133, 137; glaucoalba 139;
 gilva 131, f 133, 137; graveolens 131,
 f 134; highlandensis 138; inversa 131,
 f 133, 137, 138; irina 131; var irina
 f 134, 136; var luteospora f 134, 136;
 leucopaxillodes 138; nebularis 129,

- f 130; nuda 131, f 134; odora 138; polygonarum f 134, 136; panaeoliformis var westii 131, f 134; praeeflella f 135, 137; praemagna f 132, 136; pseudo-irina 129, f 130; robinsoniae 138; robusta 129, f 130; saeva 131, f 132; subalpina f 132, 136; subconnexa 131, f 135; tarda 131, f 135, 136
- Cochliobolus 88; hawaiiensis 88, 92
- Cokeromyces recurvatus 985
- Coleosporium maprouneae 353
- Colletomanginia 30; paradoxa 40, 41, 43
- Colletotrichum graminicola 985
- Collybia sect Levipedes 635; alkalivirens 634-642, f 636; obscura 634, 635-642; plexipes 635; semihirtipes 635, f 636, 637; spongiosa 634-642, f 636, f 640
- Comatricha aequalis 998, f 999
- Confertobasidium olivaceoalbum 469, 471
- Conidiobolus coronatus 901; thromboides 901
- Coniochaeta 931-952; albido-mucosa 940, 945, 946, 948; ambigua 940, 946, 948; calva 940, 947; caryotae 940, 947; discospora 939, 945; elaeicola 940-947; ellipsoidea 939-947; extramundana 931-952, f 933, f 935, f 936; gymnosporae 940, 947, 948; hansenii 940-947; kellermanni 939, 947; leucoplaca 940-946; ligniaria 939-946; malacotricha 940-946; microspora 940, 947; multisporea 940, 943, 947; myricariae 940-946; nepalica 939-947; niesslii 940, 947; nodulisporioides 939-946; ovata 939, 941, 947; phalacrocarpa 940-946; philocoproides 940, 947, 948; polysperma 940-943, 947; pulveracea 940-946; saccardoi 940, 941, 947; sarothamni 940, 946; scati-gena 940, 945, 946; sordaria 940, 947, 948; subcorticalis 939, 941, 946; tetraspora 937-946; tilakii 940, 946; velutina 939-947; williamsi 940, 947, 948
- Coniochaetidium 938; ostreum 949
- Coniosphaeria inflata 889
- Coniothyrium 822-832; concentricum 823, 826, 827; fuckelii 823-832; hellebori 823-832
- Conocybe 783
- Copelandia 783
- Cordycepioideus 358-362; bisporus 358, 359, 362; octosporus 358-362, f 360, f 361
- Cordyceps agariciformis 927
- Coriolus versicolor 177
- Corollospora lacera 833; maritima 834, 841, 842; trifurcata 841, 842
- Corticium compta 460; lepidum 1200; rolsii 331
- Cortinarius 137
- Couchia 1143; circumplexa 1144, f 1145, f 1147, f 1149, f 1151, f 1152**
- Crinipellis stipitaria 489
- Cristulariella 339, 340; depraedans 339, 340; moricola 339, 340; pyramidalis 339
- Cryptococcus 618-633; bhutanensis 618-633, f 623; himalayensis 618-633, f 624; neoformans 343, 344, 632; vishniacii 618-633, f 623, f 624, f 626, f 628
- Cryptomycina pteridis 753
- Cudoniella 905
- Cucurbitodis 600, 608; pithyophila 600
- Cucurbitaria 600; conorum 601; shepherdiae 602
- Cunninghamella elegans 900
- Curreya 599-609; subg Curreyella 600; bambusicola 599, 605, 608; berberidis 599, 603, f 607, 608; conorum 599-601, 608; corni 606, f 607, 608; excavata 599, 605, 608; harknessii 602, 603, 608; insignis 606, 608; larigna 599, 608; palmincola 599, 606, 608; peckiana 606, 608; pithyophila 608; pusilla 599, 601, f 604, 608; rehmsii 600, 608; rhoinea 606, 608; rimosa 603, f 607, 608; sandicensis 599, 605, f 607, 608; shepherdiae 599, 602, f 604, 608; ulmicola 599, 608
- Curreyella 606
- Curvularia prasadii 1202
- Cyanobasidium 458
- Cylindrocladium 929; crotalariae 923
- Cyphellocalathus 486-491, 492; cecropiae f 490, 491**
- Cyptotrama 507
- Cystoseira balearica 843
- Dactylaria brochopaga 1207-1211, f 1209
- Dasyspora gregaria 350-353
- Dendryphiella arenaria 1184, 1185; salina 834, 835; vinosa 770
- Dictyodothis 599, 603, 605, 608; berberidis f 607; excavata 605
- Dictyostelium discoideum 63, 787
- Didymium iridis 62-77, f 67, 746; karstensii 745, f 746; ovoideum 742, 746; saturnus 745; squamulosum 746
- Diplodia gossypiniae 1041

- Discinella 905; *schimperi* 904-906-913, f 907, f 909
 Discostroma 600, 608; massarinum 600
 Dothichloe 591, 593
 Dothidea concaviuscula 605; excavata 605; sambuci 605
 Dothiora 608; cellulosa 606; *harknessii* 603, f 604; pyrenophora 602
 Drechslera 88, 1185; australiensis 88, 90; cynodontis 245; hawaiiensis 88, 89; maydis 1207; sorokiniana 244-251, f 247; victoriae 1207
 Endogone 123, 124, 1092; calospora 113; mosseae 112; multiplex 1092-1097, f 1095; pisiformis 1092-1097, f 1094; reinformis 867; stratos 1092
 Endothia parasitica 390, 570-576
 Engleromyces 30; goetzii f 33, 40, 41, f 42, f 46
 Entomophthora egressa 887-903; obscura 901
 Entonaema 28-61; aurantiaca f 34, 49, 50, 58; cinnabarina 29, f 53, f 34, 49, 50, f 51, f 53, 54-59; *dengii* f 39, f 51, 55, 59; globosa 49, 58; f. aurantia 49, 58; grisea 52; lignescens 54, 55; liquescens 29, f 39, 47, f 51, 52-59; mesenterica 47, 50, 57, 58; *moluccana* f 39, f 53, 56, 59; pallida f 39, 47, f 51, 52, 54, 59; splendens 54, 57
 Entorrhiza casparyana 392-398, f 394, f 395, f 396, f 397
 Entyloma 392, 398
 Ephemeroascus 938, 939
 Epibotrys 599, 608; bambusicola 605
 Epicoccum 238-243; nigrum 238-243, 1184, 1185
 Erwinia carotovora 1041-1048
 Escherichia coli 106
 Europhium 1123-1128; aureum 1124, 1126; clavigerum 1126; robustum 1126
 Exophiala dermatitidis 1181-1183, f 1182
 Favolaschia 505
 Fenestella 608; minor 605
 Filobasidiella 343-345, f 344, 629; bacillisporea 343, 629; neoformans 343, 629, 1113
 Filobasidium capsuligenum 629; floriforme 1113
 Filosporella annelidica 542-550
 Flagelloscypha 487, 505
 Fonsecaea 1181
 Fusarium 219, 223, 282, 998, 1185, 1202; decemcellulare 1005; episphaeria 287; moniliforme 222, 282-287, f 286, 410, 1004-1007; var subglutinans 407-414, 1006; oxysporum 13, 283-287, 715; f. sp. asparagi 282; f. sp. lycopersica 248; f. sp. nicotianae 715-723; roseum f. sp. sambucium 287; solani f. aurantifoliae 410; f. sp. coeruleum 287; f. sp. phaseoli 287; f. sp. pisi 287; vasinfectum 410
 Galeropsis polytrichoides 183
 Gastrocybe *deceptiva* 181-183, f 182, f 193; lateritia 183
 Gautieria chilensis 866
 Gelopellis macrospora 854, f 863
 Genea 865, 866; verrucosa f 858, 866
 Genistella 484; ramosa 481
Genistelloides 477; *hibernus* 477-485, f 479, f 480
 Geomyces pannorus 937
 Geotrichum 1105
 Germisporia 938
 Gerwasia 578
 Gibberella zeae 105-111
 Gigaspora 610-617; coralloidea 878; gigantea 123, 288-300, 1175-1177; gregaria 123; heterogama 123, 878; margarita f 117, 119-123, 142, 296, 610-617, f 613, 870-878
 Gilbertella 1102
 Gillettiella 605, 608
 Glaziella 34, 47, 124; splendens 57
 Gliomastix 229-237; cerealis 235; chartarum 229; convoluta 229, 233; var felina 229; *felina* 229-231-237, f 232, f 235; murorum 229-237, f 232, f 234; var felina 229, 237
 Gloeophyllum trabeum 178
 Glomus 124, 610; calendonius 612; constrictus 114, f 116, 120-125; deserticola 115; epigaeus 296-298; etunicatus 114, f 116, 120, 121, 870-877; fasciculatus 113, 115, f 116, 120-125, 611, 877, 918, 1028, f 1030, f 1031, f 1033, f 1034; macrocarpus 115, 120, 121; var geosporus 877; microcarpus f 117, 118, 120, 121; monosporus f 117, 118-121; mosseae 112, 118-125, 296-298, 612, 878, 1035
 Glotzia 483
 Gnomonia 436, 438; gnomon 438; intermedia 438; leptostyla 438; longirostris 1184, 1185; setacea 438; ulmea 438

- Graminella 483
 Guttulinopsis 785; nivea 787; vulgaris 785-788, f 786
 Gymnoascus setosus 681
 Gymnopilus 783
- Halosphaeria mediosetigera 835; salina 834, 841
 Harpella 483
 Helminthosporium 88, 1105; subg Cylindro-Helminthosporium 88; subg Eulhelminthosporium 88; australiense 90; hawaiiense 89; maydis 1207; sativum 244; victoriae 1207
 Helotium schimperi 904, 906; vasaense 905
 Hemileia fadogiae 451; scholzii 452
 Hemimycena 503
 Histoplasma capsulatum 902
 Hohenbuehlia 487, 883
 Homostegia conorum 600, 601
 Hormiscium dermatitidis 1181, 1183
 Hormodendrum 1181
 Humarina pallens 1001
 Humicola 938; insolens 199, 200
 Hyalocurreya 599, 606, 608; palmincola 606; sandicensis 605
 Hydropus 503
 Hymenogaster 859, 865; albellus 856, f 858; fragilis 857, 859; ruber 865
 Hymenoscyphus fructigena 905; schimperi 905, 906; vasaensis 905
 Hyphoderma compta 460, 461; echinocystis 458, f 459, 461; ludovicianum 805, 807; subtestaceum 461
 Hyphodontia 466; **comptopsis** f 459, 460; **lanata** 461, f 462
 Hypocrea 11, 13, 30; cubispora 38
 Hypoxylina 30, 45; umbilicata 45
 Hypoxylon 29, 45; punctum 31, 32; lycogaloides 29
 Hysterangium 859; cistophilum 859; clathroides 859; crassum 569; purpureum 866; separabile 857, 865
 Hysteropatella 988, 989
- Inocybe 655-674; fastigiata 668; var cerina 670; var microsperma 667; f. subcandida 662, f 663; gausapata 655, 656, f 657, f 672; geophylla 662; var lateritia 661; godeye 662; **holoxantha** 655, f 638, 667, f 672; lacera 671; f lacera 671; f subsquarrosa f 666, 670; **microteroxantha** 655, f 657, 658; ochraceo-marginata 659; pallidipes f 657; phaeodisca 661; prominens 655, f 663, 664; pudica f 657, 661; rimosoides f 663, 665, 668, f 669; **semifulva** 655, f 657, 659, f 669; sororia 670; ventricosa f 666, 671
 Inonotus arizonicus 167-180, f 171, f 172, f 175, f 176; cuticularis 179; rheades 179
 Karstenula shepherdiae 602
 Klebsiella aerogenes 690
Korunomyces 335; terminaliae 335-342, f 336, f 338
- Laboulbenia 554; vulgaris 555
 Labyrinthula 1052, 1054, 1175-1180, f 1176; vitellina 1177
 Lachnella sect Metuloidifera 486; australis 486-489; cecropiae 486-491, 492
 Lamprospora ascoboloides f 265, 266; **leptodictya** 263-273, f 264, f 265
 Lasiobolus monascus 16
 Lazulinospora cyanea 464; **cinnamomea** f 462, 464; wakefieldii 464
 Lecanidion 989
 Legeriomyces ramosus 481, f 482, 483, 484
 Lentinus edodes 103; lepidus 803
 Lepista 128, 131; caespitosa 136; flaccida 136; gilva 136; glaucocana 136; inversa 137; irina 136, 137; luscina 136; nuda 136; panacola 136, 137; panacoliiformis 137; saeva 136; sordida 136; westii f 134, 137
 Leptographium 1128; engelmannii 1125; lundbergii 1125; pyrina 1125
 Leptosphaeria halima 1184, 1185
 Leptosphaerulina australis 989
 Leptothyrium coryli 430
 Leucosporidium frigidum 625; scottii 618-633, f 624
 Lignicola laevis 834
 Linderina pennisporea 977-987, f 981
 Lulworthia 834, 835
 Lyophyllum subreus 138
 Lysurus mokusini 1098
- Macrochytrium botrydioides 901
 Macrophomina phaseoli 1005; phaseolina 160-164
 Mamianiella 429; coryli 429; var coryli 429; var spiralis 429-439, f 431, f 432, f 434, f 435, f 437
 Marasmius sect Alliacei 503; semihirtipes 634-637-642; semisquarrosus 639, 641; spongiosus 639, 641

- Mehtamyces* 778-780; *stereospermi* 778, 780
Melampsora lini 1205; *stereospermi* 778, 779, 780
Melanoleuca robinsoniae f 135, 137, 138
Melanophyllum echinatum 186, f 191; *eyrei* 186; *globisporum* 183-186, f 191
Melanopsamma 836; *tregubovii* 836, 841; var *cutleriae* 836; var *cystoseirae* 836, 837
Melittosporium 989
Metabourdottia 1109
Mindeniella spinospora 531-540
Modicella 124; *reniformis* 867
Mollisia 331
Monascus anka 650; *purpureus* 649-654
Monochaetia 1105
Mortierella 1000; *thaxteri* 937
Mucor genevensis 357; *hiemalis* 355, 1202; *miehei* 199-201, 355-358, 953-958; *pusillus* 199-201, 953-958; *ramannianus* 902; *rouxii* 902
Mutinus caninus 566-570, f 567
Mycoacia meridionalis f 462, 465; *uda* 467
Mycoalvimia theobromicola 504, f 504
Mycelium radicis atrovirens 141
Mycena 503, 505

Nannizzia incurvata 681
Nectria gliocladiodes 927; *haematococca* 973; var *cucurbitae* 961
Neobulgaria pura 331
Neopaxillus 509
Neosartorya fischeri 937
Neuronectria peziza 927
Neurospora 11, 13, 929; *crassa* 571, 811, 959-975, 1204, 1206; *sitophila* 959; *terasperma* 960
Nigrospora sphaerica 1185
Nodulisporium 942

Octospora 906
Odontia furfurella 467; *vesiculosa* 467
Oidium corticale 80; *parasiticum* 351
Ombrophila 905
Ophiostoma 495, 1123
Orphella 483; *coronata* 484

Paecilomyces 230; *farinosus* 900; *varioti* 1202
Panaeolus 783
Papulaspora viridis 341
Paramoebidium 478, 484
Paucithecium 37
Paxillus miniatus 510

Pegleromyces collybioides 500, f 501, f 502
Pellicularia chordulata 457
Penicillium 160-164, 217, 1005; *brevi-compactum* 102; *canescens* 937; *chrysogenum* 100, 103; *frequentans* 937, 1202; *funiculosum* 222-227; *iriensis* 1090; *lividum* 1202; *oxalicum* 222, 223; *purpureogenum* 1202; *restrictum* 937; *variabile* 1202; *victoriae* 937
Peniophora 803; *candida* 341
Pennella 483
Penzigia 30, 41, 45, 49; *compuncta* 30, 31, 36, 45; *cranioides* 45; *cretacea* 45; *frustulosa* 40; *lycogaloides* 30
Perichaena minor f 742, 744
Periconia byssoides 1185; *circinata* 102; *felina* 229, 231
Peridoxylon 30, 43; *spathulatum* 43
Peronospora parasitica 251-262, f 255, 551-554, f 552, f 553; *trifoliorum* 261
Pestalotia macrotrichia 1185
Pestalozzia 1105
Pezizella ericae 142, 994-997
Phaeocreopsis 38
Phaeolus schweinitzii 178
Phaeoramularia 345-347; *gomphrenicola* 347; *marmorata* 347; *tabebuia* 346, f 346
Phakopsora stereospermi 778, 779, 780
Phanerochaete 467, 475; *chrysosporium* 675-680, f 677; *insolita* 467, f 468; *septocystida* 469
Phascolumyces articulosis 976-987, f 980, f 981
Phellinus tremulae 811; *weirii* 179, 811-821
Phialoarthrobotryum 348-350; *brasiliense* 348, f 349
Phialophora 934, f 936, 998, 1181; *hoffmannii* 942
Phillipsia 18
Phlebia brevispora 803-805-810, f 806, f 807; *subserialis* 805, 807
Phloeospora 777
Phylctocthyrium 1049, 1053, 1054; *marinum* 1054
Pholiotina 783
Phoma 1185
Phragmidiella 778, 779
Phragmopyxis leonensis 1119
Phycomyces blakesleeanus 900; *nitens* 900
Phyllachora africana 752; *cibotii* 748, f 750, f 751; *gilicena* 753; *labella* 752; *graminis* 752; *hieronymi* 753; *leptostromoidea* 752; *lespedezae* 752; *pteridicola* 752, 753; *pteridis* 753; *rhopo-*

- graphoides 752, 753; themedae 752; valispora 753
- Phyllobolites miniatus 507-510, f 508
- Phymatotrichum omnivorum 321-333, f 324, f 347-f 330
- Physalacia 643-648; andina 647; clusiae 647; concinna 647; cryptomeriae 643-648, f 645, f 646; indica 647; stilboidea 647; subpeltata 647; tenera 647
- Physarum flaviocomun 1090; gyrosum 745; nudum 693; ovisporum 745; polycephalum 63, 689-696, 1085-1091; spinisporum 742-745; vernum 745
- Physopella 778, 779; stereospermi 778, 780
- Phytophthora 705-714; arecae 706; bahamensis 712; boehmeriae 706; botryosa 706; var africana 441; cactorum 706; cajani 706; cambivora 706; capsici 440, 706; castaneae 706; cinnamomi 260, 440, 706; citricola 706; citrophthora 706; colocasiae 440, 706; cryptogea 706, 712; cyperi 711; cyperibulbosi 711; drechsleri 706; var drechsleri 706; var cajani 706; f. sp. cajani 706; epistomium 712; erythro-septica var erythro-septica 706; var pisi 706; fragariae var fragariae 706; var oryzo-bladii 706; gonapodyides 712; heveae 706; hibernalis 706; ilicis 706; infestans 706; inflata 706; iranica 706; japonica 712; katsurae 706; lateralis 706; leporinae 711; macrospora 711; meadii 706; megakarya 441, 707; megasperma 712; var megasperma 707; var sojae 707; f. sp. glycinia 707; melonis 707; mexicana 707; myco-parasitica 712; nicotianae var nicotianae 707; var parasitica 707; oryzae 712; palmivora 440-444, 707; parasitica 440-444; var nicotianae 707; var parasitica 707; phaseoli 707; porri 707; primulae 707; quinea 707; richardiae 707; spinosa var lobata 712; var spinosa 712; syringae 707; verrucosa 711; vesicula 712; vignae 707
- Pilacrella 880, 883; delectans 883
- Piptopezalis virginiana 976-987, f 979, f 983, f 985; unispora 985, 986
- Pisolithus tinctorius 1160
- Pityrosporum 627, 630
- Pleospora 600, 608; conorum 601, f 604; herbarum 600; obtusa 600; pelagica 1184, 1185
- Pleurotus florida 1041; ostreatus 1041-1048
- Pluteus salicinus 781-784; var achloes 783
- Podospora anserina 973
- Polyphlyctis unispina 1189, 1191, f 1192
- Polyporus 1041; ciliatus 178; grammocephalus 150-156, f 152, f 153; squamosus 155; tuberaster 155
- Polyschema congolensis 770
- Poria 1104; placenta 809
- Poroconiochaeta 938; discoides 942
- Prosopodium 778, 779; paraguayense 353; pseudozonatum 353; wulfiae 353
- Protoachlya 1156
- Pseudoaegeria 78-87; corticalis 79-87, f 79, f 80
- Pseudoarachniotus marginosporus 681-688
- Pseudoclathrus cylindrosporus 1104
- Pseudocochliobolus 88; australiensis 88-92-96, f 93; hawaiiensis f 91, 92
- Pseudomonas 1171; aeruginosa 259
- Pseudotulasnella 1109
- Psilocybe sect Caerulescentes 783; cubensis 781
- Pteromaktron 483
- Puccinia 551; actinostemonis 353; anguriae 353; arachidis var arachidis 449; archavaletae 353; bambusarum 353; bulbilbipes 354; bulbostylidis 447; cucumeris 447; euphorbiae 1121; var minor 1120; festata 1121; gerascanthi 354; graminis 1007; ssp graminis var graminis 1008; f. sp. tritici 252; gregaria 351; heterospora 354, 452; intumescens 1121; johnstonii 353; levata f 1118, 1119, f 1119; longipedicellata 1121; micrantha-mikaniae 354; pfaffiae 354; psidii 353; sanguinolenta 353; venezuelana 1121; vilis 1007; vitata 1116, f 1117, f 1118
- Puccinosira anthocleista 450; dissotidis 451; mitragynes 451
- Pyrenochaeta 998; terrestris 844-852
- Pyronema domesticum 301-320, f 304
- Pythiopsis 1156
- Pythium 1102; aconiti 1102; adhaerans 1156; aphanidermatum 248; marinum 1052
- Ravenelia talpa 449
- Rectipilus 487, 489; davidii 489
- Resinicium 466
- Resupinatus 487
- Rhachomyces 554-559; anophthalmi 558; bucciarellii 554-557, f 557; orotrechorum 555; venetianus 556, 557, 558
- Rhipidium 531-540, f 536; americanum 535, 537, 539; interruptum 535
- Rhizoctonia crocorum 588; solani 160-164, 248, 331

- Rhizomucor pusillus* 512, 516, 521, 522
Rhizophagus 124
Rhizophyidum subangulosum 1189, 1191, f 1192
Rhizopogon violaceus 854
Rhizopus 223, 511-523; *arrhizus* 363, 512-522, f 518; *chinensis* 512, 513, 516, f 518; *cohnii* 512, 513, 516, f 517; *delemar* 362-368; *homothallicus* 512, 513, f 515, 516; *microsporus* 512, 513, f 514, f 515, 516, 522; *nigricans* 512; *oligosporus* 512, 516, f 519; *oryzae* 363, 1202; *pseudochinensis* 512, 513, 516, f 517; *pusillus* f 520; *rhizopodiformis* 512, 513, 516, f 519; *sexualis* 522; *stolonifer* 512, 513, f 514, 516, 522
Rhodocybe marasmioides 138
Rhodosporeidium 629
Rhodotorula 630, 1177
Rosellinia 40; subg *Coniochaeta* 938; *ambigua* 940; *calva* 940; *sordaria* 940; *velutina* 940; *xylarispora* 940
Ryparobius 2
Saccharomyces cerevisiae 572, 618, 631, 901
Saccobolus 16, 318
Saghamala 230, 235
Saprolegnia 1156
Sapromyces 539
Sarawakus 29; *lycogaloides* 29; *succissus* 29
Sarcostromella 43
Sarcoxyton 28-61; *atrum* 34, 35; *aurantiacum* 29-34, 47-49-58; *aureum* 31, 55; *compunctum* 29, 30, f 33, f 44, 45, 59; *deightonii* 38; *inflatum* 32, 34, 50; *leratii* 35; *lycogaloides* 29; *phoenix* 37; *sinensis* 32, f 33, f 44, 59; *spathulatum* 43
Schizophyllum commune 971
Scirrhia 608; *concaviscula* 605
Sclerocystis coremoides 123; *sinuosa* f 117, 119-124
Sclerotinia sclerotiorum 302, 318
Sclerotium coffeicolum 334; *rolfsii* 331, 819, 902
Scolecobasidium 209
Scopulariopsis 233
Scutellinia megalosphaera 263-266-273, f 267; *paludicola* 267
Scytinostromella fallax 469, f 470; *heterogenea* 472; *humifaciens* 472; *nannfeldtii* 472
Secotium 860, 861; *magellanicum* 865
Selenozyma peltata 622
Septogloeum 777
Septonema verrucosa 208-210, f 209, f 210
Septosperma multiforma 1189, f 1190, 1191; *rhizophydii* 1189, f 1190
Serenomyces 881
Setchelliogaster 857; *brunneus* 857
Siliomyces 483
Sistotrema brinkmanni 321-333, f 325
Smittium 483, 725; *culisetae* 724-740, f 735
Sordaria 938; *fimicola* 1204; *philocoproides* 940
Sorosporium 392, 398; *consanguineum* 631
Sphaeria compuncta 29, 30; *dura* 988, 989, f 990; *gigantea* 57; *inflata* 989; *phoenix* 37
Sphagnicola 905
Sporopachydermia cereana 622, 629; *lactativora* 629
Sporormia 11, 18; *australis* 1204
Sporormiella 18
Sporotrichum pruinosum 675-680, f 677; *pulverulentum* 675-680
Squamotubera 45; *leratii* 35, 37, f 46
Stachylina 483
Steccherinum ciliolatum 473; *subcrinale* 475; *tenuis* f 470, 472; *vagum* 473, f 474
Stemphylium 1185
Stereum 939; *hirsutum* 1108; *sanguinolentum* 1108
Sterigmatocystis 1056; *ferruginea* 1057
Stilbothamnium penicillopsis 1058
Stipella 483
Strickeria 602, f 604, 608, 988; *dura* 989; *fendlerae* 989, f 990, 991; *papillosa* 991
Stromatoneurospora 37; *phoenix* 37, 38
Stromne 30; *goetzii* 40
Stropharia hornemannii 195; *subcaperata* f 190, f 192, 194, 195
Strumella simmondsiae 822
Suillus brevipes 1160; *granulatus* 141, 1160; *lakei* 1160; *punctipes* 1160; *tomentosus* 1160
Syncephalis 553; *nodosa* 551
Syzygospora alba 11108-11115, f 11110, f 11111, f 11112
Taeniolina centaurii 82; *deightonii* 81-87, f 82, f 83
Teichospora subg *Teichospora* 988; *dura* 989; *papillosa* 989, 991
Teichospora 988, 989; *africae* 989; *cerariensis* 989; *dura* 988-992, f 990; *inflata* 989, 989, 991; *montanae* 989, f 990, 991
Tetracadium marchalianum 548

- Thalassoscus* 833-843; *cystoseirae* 837, 841, 843; *lessoniae* 837, f 838, f 839, f 840, 841, 843; *tregubovii* 836, 837
- Thamnidium elegans* 900
- Thanatephorus cucumeris* 331
- Thaxterogaster* 853-868; *archeuretus* f 855, 861, f 863; *carneoreus* 864; *cartilagineus* 864; *fragilis* 857, f 858, 859, 862; *magellanicus* 860, 865; *mustella* 864; *napivelatus* 864; *scabrosus* 862, 864; *squamatus* f 855, f 863, 863; *subalbidus* f 858, 859
- Thecotheus* 1001-1004; *himalayensis* 1003; *pallens* 1001, 1003; *phycophilus* 1001-1004, f 1002; *rivicola* 1003
- Thelebolus* 1-27; *caninus* 5-7, f 8, f 10, 11, 13, f 21, f 25; *crustaceus* 7, 11, f 12, 13, f 14, f 22, f 25; *microsporus* 3-5, f 4, f 6, 11, 13, f 20, f 25; *polysporus* 7-9, 13, f 15, 16, f 17, f 23, f 25; *stercoreus* 2, 9, 11, 16, f 19, f 24, f 25; *zukaii* 2
- Thermomucor indiciae-seudaticae* 512, 516, f 520, 521, 522; *lanuginosus* 199, 200
- Thielaviopsis basicola* 524, 1125
- Thuemenella* 30, 38-41; *britannica* 38; *cubispora* 38; *javanicum* 38; *sordida* 38
- Tilletia* 392; *caries* 252, 398; *foetida* 398; *sphagni* 904, 905, 911
- Titanella* 606, 608
- Torpedospora radiata* 835
- Torula* 78-87; *bowdichiae* 86; *chartarum* 229; *convoluta* 229; *corticalis* 80; *herbarum* 78, 81, 770; *murorum* 229, 230, 235; *terrestris* 770; *thermophila* 199, 200
- Trechispora* 464
- Tremella* 1104, 1108, 1113; *aurantia* 1108; *encephala* 1108
- Trichia brunnea* 741, f 742; *fimicola* 743; *macbridei* 743; *subfusca* 743; *varia* var *fimicola* 743
- Trichobolus* 2, 16; *zukaii* 2
- Trichocladium* 1186-1189; *achrasporum* 834, 835, 841; *opacum* 1188; *uniseptatum* 1188; *variosporum* 1186, f 1187
- Trichoderma* 219, 223; *koningii* 937; *viride* 1090, 1185
- Trichophaea arctica* 263-268-273, f 265
- Trichozygospora* 483; *chironomidarum* 484
- Tryblidaria* 989
- Tuberculina costaricana* 449
- Tulostoma* 1009, 1104
- Tylostoma* 1009, 1010; *gracile* 1009, 1010
- Tyromyces* 150, 155; *undosus* 178
- Uleomyces* 608; *sandicensis* 606, f 607
- Ulocladium botrytis* 1185
- Uredo diocleae* 449; *longaensis* 445; *stereospermi* 778, 780; *stevensii* 1122; *velata* 1119
- Urnula craterium* 272, 273; *groenlandica* 263-269-273, f 270, f 271; *hiemalis* f 271, 272
- Uromyces appelianus* 354; *bidenticola* 446; *brasiliensis* 354; *commelinae* 446; *gladioli* 448; *novissimus* 354; *standleyanus* 354
- Ustilago* 398; *avenae* 387; *maydis* 379-391; *nigra* 387; *pustulata* 392; *scabiosae* 392; *scitaminea* 387
- Varicosporina ramulosa* 835, 841
- Venturia inaequalis* 564-566, f 565
- Vorticicliadiella* 1128; *abietina* 1125; *antibiotica* 1125; *brachiata* 1125; *procera* 1125; *wagneri* 1125
- Vorticillium* 939
- Volvariella bombycina* 992, 993, f 993
- Wangiella* 1181; *dermatitidis* 1183
- Wawelia* 30, 43
- Whetzelinia* 13
- Xylaria* 30, 45, 415-428; *carpophila* 415, f 418, f 420, 421, f 422, f 425; *cinnabarina* 49, 50; *compuncta* 30, 31, 45; *elastica* 31, 32; *fastigiata* 419; *fockei* 45; *gigantea* 57; *gigas* 35, 36, 45; *hypoxylon* 415, 416, f 417, f 418, 419, f 422, f 423; *var longiana* 419; *longiana* 419; *magnoliae* 415, f 420, f 422, 426, f 427; *multiplex* 419; *persicaria* f 422, 424; *spathulata* 43; *splendens* 57; *tabacina* 30; *talfarii* 30
- Xylocrea* 30, 47; *elegantissima* 37; *piriformis* 37
- Xylohypha bowdichiae* f 84, f 85, 86; *feruginosa* 86; *nigrescens* 86; *novaezelandiae* 86; *palmiticola* 86
- Xylosphaera* 43; *fastigiata* 419; *multiplex* 419
- Ypsilospora africana* 450
- Zalerion varium* 836
- Zignoella inflata* 989
- Zoophthora aphidis* 901; *phalloides* 901; *radicans* 901
- Zygorhynchus vuilleminii* 902

HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

- Acer
 Cristulariella depraedans 339
 Comatricha aequalis 998
 Streccherinum tenue 472
 Actinostemon
 Puccinia psidii 353
 Aegilops
 Puccinia graminis ssp graminis var graminis 1008
 Agave
 Coniothyrium sp. 824
 Aglaozonia
 Thalassoscus tregoubovii 836
 Albizzia
 Sarcoxylon compunctum 32
 Allocapnia (animal)
 Genistelloides hibernus 478
 Alnus
 Mamianiella coryli var spiralis 430
 Alphonisia
 Curreya sandicensis 605
 Anguria
 Puccinia archavaletae 353
 Anophthalmus (animal)
 Rhacomyses anophthalmi 558
 Anthocleista
 Pucciniosira anthocleista 451
 Arachis
 Calonectria crotalariae 923
 Puccinia arachidis var arachidis 449
 Arctostaphylos
 Curreya rimosa 603
 Aruncus
 Cristulariella depraedans 339
 Arundinaria
 Puccinia bambusarum 353
 Asparagus
 Fusarium 282
 Aspidium
 Phyllachora filicina 753
 Asystasia
 Aecidium 445
 Baphia
 Ypsilopora africana 450
 Berberis
 Curreya berberidis 603
 Betula
 Blastospora betulae 577
 Mamianiella coryli var spiralis 430
 Bidens
 Uromyces bidenticola 446
 Bouchenavia
 Korunomyces terminaliae 335
 Bowdichia
 Xylohypha bowdichiae 86
 Bulbostylis
 Puccinia bulbostylidis 448
 Butia
 Agaricostilbum palmicolum 880
 Capnia (animal)
 Genistella 484
 Carpinus
 Mycoacia meridionalis 466
 Carya
 Mycoacia meridionalis 465
 Cassia
 Phragmomyxis leonensis 1119
 Castanea
 Endothia parasitica 572
 Casuarina
 Squamotubera leratii 36
 Cayaponia
 Uromyces novissimus 354
 Chironomus (animal)
 Couchia circumplexa 1144
 Chloris
 Drechslera australiensis 89
 Choanephora
 Piptocephalis virginiana 976
 Choristoneura (animal)
 Entomophthora egressa 887
 Cibotium
 Phyllachora cibotii 748
 Clerodendron
 Hemileia scholzii 452
 Coccinia
 Puccinia cucumeris 447
 Cocos
 Amerobotryum indicum 885
 Codiaeum
 Aecidium codiae 448
 Convolvulus
 Curreya harknessii 602
 Cordia
 Puccinia gerascanthi 354; bulbilbipes 354; johnstonii 354

- Cornus
 Amphinema arachispora 455
 Anthracotheceum leucostomum 608
 Corylus
 Mamianiella coryli var coryli 429; var spiralis 430
 Cryptomeria
 Physalacia cryptomeriae 644
 Cyanotis
 Uromyces commelinae 446
 Cyathea
 Phyllachora hieronymi 753
 Cystoseira
 Thallassoascus cystoseirae 837

 Dilophus
 Melanopsamma tregoubovii 841
 Dioclea
 Uredo diocleae 450
 Diospyros
 Sarcoxydon punctum 51
 Dipholis
 Puccinia johnstonii 353
 Dissotis
 Pucciniosira dissotidis 451
 Duvalius (animal)
 Rhachomyces 558

 Echinochloa
 Phyllachora africana 752
 Puccinia graminis 1007
 Elymus
 Puccinia graminis ssp graminis var graminis 1008
 Euphorbia
 Puccinia euphorbiae 1120, 1121; var minor 1120; festata 1121; intumescens 1121; levata 1119; longipedicellata 1121; venezuelana 1121; vitata 1116; Uredo stevensii 1122; velata 1119

 Fadogia
 Hemileia fadogiae 451
 Fagus
 Xylaria carpophila 424
 Fendlera
 Teichosporella dura 991
 Ficus
 Sarcoxydon sinensis 34
 Fraxinus
 Teichosporella dura 989

 Gaudichaudia
 Uromyces standleyanus 354
 Gladiolus
 Uromyces gladioli 448

 Glycine
 Calonectria crotalariae 923
 Gossypium
 Phymatotrichum omnivorum 322

 Helleborus
 Coniothyrium hellebori 830

 Jacquemontia
 Uromyces brasiliensis 354
 Juncus
 Entorrhiza casparyana 393

 Lambdina (animal)
 Entomophthora egressa 887
 Leptinotarsa (animal)
 Paecilomyces farinosus 900
 Lespedeza
 Phyllachora lespedezae 752
 Lessonia
 Thallassoascus 836; lessoniae 840
 Ligustrum
 Hyphodontia lanata 463
 Lippia
 Prospodium paraguayense 353
 Liquidambar
 Calonectria crotalariae 923
 Phanerochaete insolita 467
 Xylaria persicaria 426
 Hyphodontia lanata 461

 Macrotermes (animal)
 Cordycepioideus bisporus 358
 Magnolia
 Lazulinospora cinnamomea 464
 Xylaria magnoliae 426
 Malus
 Venturia inaequalis 564
 Mangifera
 Chromocrepis cubispora 38
 Maprounea
 Chaetonia maprouneae 353
 Mikania
 Puccinia micrantha-mikaniae 354
 Momordica
 Aecidium 447

 Nemopanthus
 Curreya peckiana 606
 Nothofagus
 Hyphodontia lanata 463

 Olyra
 Puccinia bambusarum 353
 Orothrechus (animal)
 Laboulbenia 555
 Rhachomyces bucciarellii 554; oro-
 trechorum 555; venetianus 558

- Panicum**
Puccinia vilis 1007
- Pariana**
Puccinia bambusarum 353
- Passiflora**
Uromyces appelianus 354
- Pentaneura** (animal)
Couchia circumplexa 1144
- Perezia**
Coniothyrium sp. 824
- Persea**
Mycoacia meridionalis 466
- Pfaffia**
Puccinia pfaffiae 354
- Pinus**
Curreya conorum 600
Mycoacia meridionalis 465
Phlebia brevispora 808
Scytinostromella fallax 469
- Platanus**
Filosporella annelidica 543
Inonotus arizonicus 167
- Podocarpus**
Physalacria concinna 647; *tenera* 647
- Polystichum**
Phyllachora filicena 753
- Pseudotsuga**
Phlebia brevispora 808, 812
- Pteridium**
Phyllachora flabella 752; *leptostromoi-*
moidea 752; *rhopographoides* 752;
pteridiicola 752
- Pteris**
Phyllachora flabella 752; *leptostromoi-*
dea 752; *pteridiicola* 752; *rhopograph-*
oides 752
- Quercus**
Botryohypochnus chordulatus 458
Mycoacia meridionalis 466
Phlebia brevispora 808
Teichosporella dura 991
Thuemenella brittanica 38
- Quisqualis**
Uredo longaensis 446
- Rhamnus**
Teichosporella dura 991
- Rhizoclonium**
Pythium adhaerans 1156
- Rhus**
Dictyodothis 605
- Sabal**
Hyphoderma echinocystis 459
- Salix**
Teichosporella dura 991
- Sambucus**
Curreya pusilla 601
- Schwenkia**
Aecidium schwenkiae 452
- Serenoa**
Lazulinospora cinnamomea 464
- Shepherdia**
Curreya shepherdiae 602
- Smilax**
Blastospora itoana 578; *smilacis* 577
- Sorghum**
Gigaspora margarita 872
Glomus etunicatus 872
- Sphagnum**
Discinella schimperi 908
Helotium schimperi 904
Tilletia sphagni 904
- Stereospermum**
Mehtamyces stereospermi 778
Melampsora stereospermi 778
Phakopsora stereospermi 778
Uredo stereospermi 778
- Stereum**
Coniochaeta velutina 939
Tremella aurantia 1108; *encephala*
1108
- Symphoricarpos**
Teichosporella dura 989
- Tabebuia**
Cercospora 347
Phaeoramularia tabebuia 347
- Tecoma**
Cercospora 347
- Tendipes** (animal)
Couchia circumplexa 1144
- Tenuirostitermes** (animal)
Cordycepioideus octosporus 358
- Tephrosia**
Ravenelia talpa 449
- Terminalia**
Koronomyces terminaliae 334, 335
- Themeda**
Phyllachora themedae 752
- Theobroma**
Chromocreopsis cubispora 38
Mycoalvimia theobromicola 505
- Triticum**
Fusarium roseum 287
Puccinia graminis ssp *graminis* var
graminis 1008
- Triumfetta**
Puccinia heterospora 452

Ulmus

- Hyphoderma 460
- Phymatotrichum omnivorum 322

Vanilla

- Phialoarthrobotryum brasiliense 350

Vismia

- Taeniolina deightonii 81

Vitis

- Steccherinum tenue 472

Wulffia

- Prospodium paraguayense 353

Xylopia

- Dasyspora gregaria 351

Yucca

- Coniothyrium concentricum 823

Zanardina

- Thalassoascus tregoubovii 836

Zingiber

- Cercoseptoria zingiberis 775

Zonaria

- Corollospora maritima 834
- Varicosporina ramulosa 835

MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME LXXIII, 1981

CONSISTING OF 1242 PAGES,
INCLUDING FIGURES



TABLE OF CONTENTS

No. 1 January-February 1981

Cytology, ultrastructure, and taxonomy of <i>Thelebolus</i> (Ascomycetes)	J. W. KIMBROUGH	1
<i>Sarcoxyton</i> and <i>Entonaema</i> (Xylariaceae)	J. D. ROGERS	28
CIPC-induced and spontaneously produced diploid myxamoebae in a myxomycete, <i>Didymium iridis</i> : a study of mating-type heterozygotes	P. MULLEAVY AND O. R. COLLINS	62
Revision of <i>Torula</i> species. <i>Pseudogertia corticalis</i> , <i>Taeniolina deightonii</i> , and <i>Xylohypha bowdichiae</i>	J. L. CRANE AND J. D. SCHOKNECHT	78
<i>Pseudocochliobolus australiensis</i> , the ascigerous state of <i>Biopolaris australiensis</i>	M. TSUDA AND A. UYAMA	88
Virus-like particles in <i>Alternaria tenuis</i>	R. H. LAU, J. REID, AND W. K. KIM	97
Sporulation of <i>Gibberella zeae</i> V. Respiratory studies on sporulating and non-sporulating cultures	B.-F. HUANG AND R. A. CAPPELLINI	105
Vesicular-arbuscular mycorrhizal fungi associated with citrus in Florida and California and notes on their distribution and ecology	S. NEMEC, J. A. MENGE, R. G. PLATT, AND E. L. V. JOHNSON	112
Spore ornamentation in the Tricholomataceae I.	H. E. BIGELOW	128
In-vitro parasitism of endomycorrhizal fungi of ericaceous plants by the mycophagous nematode <i>Aphelenchoides bicaudatus</i>	S. R. SHAFER, L. H. RHODES, AND R. M. RIEDEL	141
Studies on Indian polypores. IV. Morphological and cultural characters of <i>Polyporus gramocephalus</i>	A. B. DE AND A. ROY	150
Studies on deterioration of some oil seeds in storage I: variation in seed moisture, infection and germinability	G. C. MONDAL, D. NANDI, AND B. NANDI	157
Cultural morphology and sexuality of <i>Inonotus arizonicus</i>	D. GOLDSTEIN AND R. L. GILBERTSON	167
Collections in the Farlow Herbarium: new species of <i>Melanophyllum</i> and <i>Gastrocybe</i> , type studies on <i>Armillaria</i> and <i>Stropharia</i>	T. J. BARONI	181
Brief Articles		
OGUNDERO: Thermophilic fungi from Nigerian palm produce		198
ROEPER AND FRENCH: Growth of the ambrosia fungus <i>Ambrosiella hartigii</i> on various nitrogen sources		202
LEELAVATHY, ZACHARIAH AND SANKARAN: <i>Clarkeinda trachodes</i> —an agaric new to India		204
ZACHARIAH, SANKARAN AND LEELAVATHY: A new species of <i>Septonema</i> from Indian soil		208

No. 2 March-April 1981

Luella Kayla Weresub (1918-1979)	B. KENDRICK AND K. A. PIROZYNSKI	211
Aflatoxin and mold flora in North Carolina in 1977 corn crop	C. W. HESSELTINE, R. F. ROGERS, AND O. L. SHOTWELL	216
On <i>Gliomastix murorum</i> and <i>G. felina</i>	T. M. HAMMILL	229
The influence of nutrition on the growth and sporulation of two strains of <i>Epicoccum nigrum</i>	B. S. BONNELL AND E. LEVETIN	238
Growth and reproduction of <i>Drechslera sorokiniana</i> as influenced by preemergence herbicides	C. F. HODGES	244
Initiation of branching in the germ tubes of <i>Peronospora parasitica</i> by alcohol	D. MCMECKIN	252

Four new species of Discomycetes (Pezizales) from West Greenland	H. DISSING	263
Temporal fluctuations in the density of filamentous fungal propagules in the water of a high-marsh creek	L. H. STEVENSON, T. H. CHRZANOWSKI, AND C. W. ERKENBRECHER	274
Induction of macroconidium formation in <i>Fusarium moniliforme</i>	R. W. GOTH AND S. A. JOHNSTON	282
<i>Gigaspora gigantea</i> : observations on spore germination of a VA-mycorrhizal fungus	R. E. KOSKE	288
Histochemical observations on the discomycete, <i>Pyronema domesticum</i> , with special reference to apothecial ontogeny	E. MOORE-LANDECKER	301
Ultrastructure and comparison of <i>Phymatotrichum omnivorum</i> and <i>Sistotrema brinkmannii</i>	S. DONG, H. E. BLOSS, AND S. M. ALCORN	321
<i>Korunomyces</i> , a new genus of Fungi Imperfecti from Brazil	C. S. HODGES AND F. A. FERREIRA	334
Brief Articles		
AHEARN AND SCHLITZER: A pyrimidine sporulation medium for <i>Filobasiella</i>		343
MUCHOVEJ AND FERREIRA: A new species of <i>Phaeoamularia</i> from Brazil		345
UPADHYAY: <i>Phialoarthrobotryum brasiliense</i>		348
HENNEN AND FIGUEIREDO: The hyphoid aecium, a rust-alga association (<i>Dasyscypha-Stomatochroon</i>), and other corrections to Neotropical rusts (Uredinales)		350
LASURE: A morphological variant of <i>Mucor miehei</i>		355
BLACKWELL AND GILBERTSON: <i>Cordycepioideus octosporus</i> , a termite suspected pathogen from Jalisco, Mexico		358
ELLIS: The effect of medium, temperature, and age on <i>Rhizopus delemar</i> sporangiospore size		362
Reviews		369
Briefly Noted		378
No. 3 May-June 1981		
Fungal virus populations in corn smut from Connecticut	P. R. DAY	379
Studies in Heterobasidiomycetes. Part 4. Investigations on <i>Entorrhiza casparyana</i> by light and electron microscopy	G. DEML AND F. OBERWINKLER	392
The wood-decay capability of <i>Albatrellus dispansus</i>	E. R. CANFIELD	399
Nutrition in <i>Fusarium moniliforme</i> var. <i>subglutinans</i> causing mango malformation	N. C. CHATTOPADHYAY AND B. NANDI	407
Cultural characteristics of some species of <i>Xylaria</i>	R. J. CHACKO AND J. D. ROGERS	415
Ascocarp development in <i>Mamianiella coryli</i> var. <i>spinalis</i>	J. F. MORGAN-JONES	429
Hormone production and reception among different isolates of <i>Phytophthora parasitica</i> and <i>P. palmivora</i>	W. H. KO AND R. K. KUNIMOTO	440
A taxonomic survey of Nigerian rust fungi: Uredinales Nigerianensis—II	D. O. EBOH	445
New or little known lignicolous Aphyllophorales (Basidiomycotina) from Southeastern United States	H. H. BURDSALL, JR. AND K. K. NAKASONE	454
<i>Genistelloides hibernus</i> : a new trichomycete from a winter-emerging stonefly	S. W. PETERSON, R. W. LICHTWARDT, AND B. W. HORN	477
Contribution to Neotropical cyphellaceous fungi—III. The new genus <i>Cyphellalathus</i>	R. AGERER	486
Isolation of auxotrophic mutants of <i>Allomyces macrogynus</i>	L. W. OLSON AND T. A. B. NIELSEN	493
New genera of Agaricales	R. SINGER	500

TABLE OF CONTENTS

v

Sporangiospore ornamentation of thermophilic <i>Rhizopus</i> species and some allied genera	D. H. ELLIS	511
The occurrence of <i>Chalara elegans</i>	C. E. YARWOOD	524
New evidence for true facultative anaerobiosis in two members of the Rhizidiaceae with notes on occurrence frequencies and substratum preferences	D. O. NATVIG	531
Growth studies of <i>Filosoporella annelidica</i> (aquatic hyphomycete)	A. D. HEWINGS AND C. A. SHEARER	542
Brief Articles		
McMEEKIN: The response of <i>Peronospora parasitica</i> to a liver medium		551
ROSSI AND ROSSI: Two new species of <i>Rhachomyces</i> (Ascomycetes, Laboulbeniales) parasitic on <i>Orotrechus</i> (Coleoptera, Carabidae, Trechini) ...		554
OLSON, BARR, AND NIELSEN: A simple device for replica plating aquatic Phycomycetes		559
JAMES, SUTTON, AND GRAND: Unusual ascocarp formation in <i>Venturia inaequalis</i>		564
FLEGLER: Energy-dispersive X-ray analysis of the peridium of <i>Mutinus caninus</i>		566
ANAGNOSTAKIS: A stable heterokaryon of <i>Endothia parasitica</i>		570
KANEKO AND HIRATSUKA: <i>Blastospora betulae</i> (Uredinales) from Japan		577
Reviews		581

No. 4 July-August 1981

W. W. Diehl, 1891-1978	P. L. LENTZ	587
The genus <i>Curreya</i> ; an example of taxonomic confusion in the Ascomycetes	M. E. BARR	599
The effect of sodium and chloride salts on the germination of <i>Gigaspora margarita</i>	M. C. HIRREL	610
Budding morphology of a psychrophilic <i>Cryptococcus</i> and related species compared with <i>Leucosporidium scottii</i>	S. BAHARAEEN AND H. S. VISHNIAC	618
Notes on <i>Collybia</i> . II. Additional taxa that are green in alkaline solution	R. E. HALLING	634
A new North American species: <i>Physalacria cryptomeriae</i>	J. BERTHIER AND C. T. ROGERSON	643
Regulation of growth and pigmentation of <i>Monascus purpureus</i> by carbon and nitrogen concentrations	H. C. WONG, Y. C. LIN, AND P. E. KOEHLER	649
Nova Scotian Inocybes. VI	D. W. GRUND AND D. E. STUNTZ	655
The taxonomy of <i>Sporotrichum pruinosum</i> and <i>Sporotrichum pulverulentum</i> / <i>Phanerochaete chrysosporium</i>	H. H. BURDSALL, JR.	675
Inhibitory effects of light on ascospore germination of <i>Pseudorachisporium marginosporus</i>	J. D. BRAGG	681
Sporulation of oat-cultured <i>Physarum polycephalum</i> . I. Sporulation competence of dark starved plasmodia	E. HOSODA	689
Optimum culture conditions for aflatoxin B ₂ production by a human pathogenic strain of <i>Aspergillus flavus</i>	M. GUNASEKARAN	697
Synoptic keys to the species of <i>Phytophthora</i>	H. H. HO	705
<i>Fusarium oxysporum</i> f. sp. <i>nicotianae</i> enzyme production on cell walls isolated from <i>Meloidogyne incognita</i> -infected and healthy tobacco roots	G. W. MOORMAN, J. S. HUANG, AND N. T. POWELL	715
Studies on the nutritional relationship of larval <i>Aedes aegypti</i> (Diptera: Culicidae) with <i>Smittium culisetae</i> (Trichomycetes)	B. W. HORN AND R. W. LICHTWARDT	724
Notes on coprophilous Myxomycetes from the Western United States	J. J. COX	741

Hawaiian forest fungi. I. A new species of <i>Phyllachora</i> on the tree fern <i>Cibotium glaucum</i>	C. S. HODGES	748
Ascomycete morphology and terminal hair ornamentation in thermophilic <i>Chaetomium</i> species	D. H. ELLIS	755
Brief Articles		
RATHIAH: A new species of <i>Cercoseptoria</i> causing a leaf spot of ginger ...		774
RAMACHAR AND RAO: <i>Mehtamyces</i> (Uredinales) reinstated		778
SAUPE: Occurrence of psilocybin/psilocin in <i>Pluteus salicinus</i> (Pluteaceae)		781
ERDOS: Virus-like particles in the acrasid cellular slime mold <i>Guttulinopsis vulgaris</i>		785
Reviews		789
Briefly Noted		800

No. 5 September-October 1981

A new species, <i>Phlebia brevispora</i> , a cause of internal decay in utility poles	K. K. NAKASONE AND W. E. ESLYN	803
Phenoloxidase and peroxidase activities in zone lines of <i>Phellinus weirii</i>	C. Y. LI	811
A <i>Coniothyrium</i> sp. causing leaf blight of jojoba	D. J. YOUNG AND S. M. ALCORN	822
Marine fungi from Easter Island and notes on <i>Thalassosaurus</i> ...	J. KOHLMAYER	833
Influence of physicochemical factors on growth and pigment synthesis by <i>Pyrenochaeta terrestris</i>	M. GUNASEKARAN AND D. J. WEBER	844
Thaxter's Thaxterogaster and other Chilean hypogaeous fungi	R. E. HALLING	853
Factors affecting vesicular-arbuscular mycorrhizal development and growth of cotton	L. M. PUGH, R. W. RONCADORI, AND R. S. HUSSEY	869
<i>Agaricostilbum</i> : an auricularioid basidiomycete	J. E. WRIGHT, R. BANDONI, AND F. OBERWINKLER	880
Comparative physiology of two isolates of <i>Entomophthora egressa</i>	G. B. DUNPHY AND R. A. NOLAN	887
<i>Discinella schimperi</i> , a circumpolar parasite of <i>Sphagnum squarrosum</i> , and notes on <i>Bryophytophthora sphagni</i>	S. A. REDHEAD AND K. W. SPICER	904
Effects of topsoil storage during surface mining on the viability of vesicular-arbuscular mycorrhizae	A. B. GOULD AND A. E. LIBERTA	914
Nuclear behavior in Hypocreales: <i>Calonectria crotalariae</i>	J. P. JONES	923
<i>Coniochaeta extramundana</i> , with a synopsis of other <i>Coniochaeta</i> species	D. P. MAHONEY AND J. S. LAFAYRE	931
Daily measurements of <i>Mucor miehei</i> lipase activity	J. J. DEPLOEY, B. FORTMAN, AND L. PERVA	953
Chemotropic interactions between trichogynes and conidia of opposite mating-type in <i>Neurospora crassa</i>	G. N. BISTIS	959
Host-parasite relations in a mycoparasite. VIII. Light and scanning electron microscopy of interactions of <i>Piptocephalis virginiana</i> with host and non-host species	M. S. MANOCHA AND R. GOLESORKHI	976
Brief Articles		
BARR: <i>Teichospora dura</i>		988
FLEGGER: A method for production of <i>Volvariella bombycina</i> fruit bodies in culture		992
MOORE-PARKHURST AND ENGLANDER: A method for the synthesis of mycorrhizal association between <i>Pezizella ericae</i> and <i>Rhododendron maximum</i> seedlings growing in a defined medium		994
OSTROFSKY AND SHIGO: A myxomycete isolated from discolored wood of living red maple		997
PFISTER: A new noncoprophilous species of <i>Thecotheus</i> , <i>T. phycophilus</i> ..		1001

TABLE OF CONTENTS

vii

THOMAS: Occurrence of two <i>Fusarium</i> species in two maize cultivars in West Africa	1004
SAVILLE: The supposed rust of <i>Echinochloa</i>	1007
PRUSSO: The type of <i>Tylostoma gracile</i>	1009
Reviews	1011
Briefly Noted	1023

No. 6 November-December 1981

Ultrastructure of the mycorrhizal association formed between <i>Zea diploperennis</i> and <i>Glomus fasciculatus</i>	N. KARIYA AND R. TOTH	1027
Effect of <i>Pleurotus ostreatus</i> and <i>Erwinia carotovora</i> on wheat straw digestibility	C. L. STREETER, K. E. CONWAY, AND G. W. HORN	1040
Nutritional studies of a marine <i>Phlyctocytrium</i> sp.	J. P. AMON AND R. D. ARTHUR	1049
A synoptic key and evaluation of species in the <i>Aspergillus flavus</i> group	M. CHRISTENSEN	1056
Carboxymethyl cellulase activity in the myxomycete <i>Physarum polycephalum</i>	J. L. KOEVENIG AND E. H. LIU	1085
<i>Endogone pisiformis</i> and <i>Endogone multiplex</i> in North Carolina	L. F. GRAND AND B. L. RANDALL	1092
A brief historical survey of fungal taxonomy and floristics in China	B. LIU AND T. W. JOHNSON, JR.	1098
<i>Syzygospora alba</i> , a mycoparasitic heterobasidiomycete	F. OBERWINKLER AND B. LOWY	1108
Hawaiian forest fungi. II. Species of <i>Puccinia</i> and <i>Uredo</i> on <i>Euphorbia</i>	J. F. HENNEN AND C. S. HODGES, JR.	1116
Cycloheximide sensitivity as a taxonomic character in <i>Ceratocystis</i>	T. C. HARRINGTON	1123
Extracellular maltase from <i>Aspergillus flavus</i>	P. O. OLUTIOLA	1130
<i>Couchia circumplexa</i> , a water mold parasitic in midge eggs ...	W. W. MARTIN	1143
Production of hydroxamate siderophore iron chelators by ectomycorrhizal fungi	P. J. SZANISZLO, P. E. POWELL, C. P. P. REID, AND G. R. CLINE	1158
<i>Labyrinthula</i> inside the spores of a vesicular-arbuscular mycorrhizal fungus	R. E. KOSKE	1175
Brief Articles		
HIRONAGA, WATANABE, NISHIMURA, AND MIYAJI: Annellated conidiogenous cells in <i>Exophiala dermatitidis</i> , agent of phaeohyphomycosis		1181
KOEHN AND GARRISON: Fungi associated with <i>Avicennia germinans</i> from the vicinity of Port Aransas, Texas		1183
ZACHARIAH, SANKARAN, AND RAHMAN: A new species of <i>Trichocladium</i> from Indian soil		1186
ZATTAU: Topographic features of chytrids collected from a <i>Sphagnum</i> bog		1189
LARSEN, JURGENSEN, AND HARVEY: <i>Athelia epiphylla</i> associated with colonization of subalpine fir foliage under psychrophilic conditions		1195
MISRA AND MISRA: Fungal flora of marketed betel nuts		1202
ROISING: Ultrastructure of septa in <i>Chaetomium brasiliense</i> (Ascomycotina)		1204
DOWSETT AND REID: Extracellular hyphal sheaths of <i>Dactylaria brochopaga</i>		1207
Reviews		1212
Notices (reviewers)		1215
Index		1217